

RTI REQUEST DETAILS (आरटीआई अनुरोध विवरण)

Registration Number (पंजीकरण संख्या) :	IMETD/R/E/20/00303	Date of Receipt (प्राप्ति की तारीख) : 16/12/2020
Type of Receipt (रसीद का प्रकार) :	Online Receipt	Language of Request (अनुरोध की भाषा) : English
Name (नाम) :	Abhinav Kumar	Gender (लिंग) : Male
Address (पता) :	A-243, Moti Bagh-1st, Pin:110022	
State (राज्य) :	Delhi	Country (देश) : India
Phone Number (फोन नंबर) :	Details not provided	Mobile Number (मोबाइल नंबर) : +91-8178142158
Email-ID (ईमेल-आईडी) :	abhinavkm1997@gmail.com	
Status (स्थिति) (Rural/Urban) :	Urban	Education Status :
Is Requester Below Poverty Line ? (क्या आवेदक गरीबी रेखा से नीचे का है?) :	No	Citizenship Status (नागरिकता) : Indian
Amount Paid (राशि का भुगतान) :	10 (original recipient)	Mode of Payment (भुगतान का प्रकार) : Payment Gateway
Does it concern the life or Liberty of a Person? (क्या यह किसी व्यक्ति के जीवन अथवा स्वतंत्रता से संबंधित है?) :	No(Normal)	Request Pertains to (अनुरोध निम्नलिखित संबंधित है) : Dr. A K Mitra
Information Sought (जानकारी मांगी):	APPLICATION TO BE SUBMITTED FOR INFORMATION UNDER RIGHT TO INFORMATION ACT, 2005	
<p>From Mr. Abhinav Kumar A-243, Moti Bagh-1, New Delhi-110021.</p> <p>To The UAID Department, India Meteorological Department, New Delhi-110003.</p> <p>(1) Full name of the applicant: Mr. Abhinav Kumar (2) Address: A-243, Moti Bagh-1,</p>		

New Delhi-110021.

(3) Particulars of information required:

- 1) Refer to your tender for supply of GPS based Radiosondes with compatible Ground Systems Tender No. CPU/53/0419/1527 Due on 27-01-2020, please give the name of the winning bidder, Contract No. and Date. Kindly share copy of the supply order.
- 2) Was MAKE IN INDIA given preference in the cited Tender.
- 3) Please let me know the exact Model Nos. of the Radiosonde and Ground Receiving Station procured from the L1 bidder under the cited Contract.
- 4) Please let me know the physical dimensions and weight of both the Radiosonde and the Ground Receiving Station procured under the cited Contract.
- 5) Please give photographs and catalog of the Radiosonde and Ground Receiving Station procured under the cited Contract.
- 6) Was the selection of successful bidders based on 2010 WMO Intercomparison of Radiosondes, i.e. those with marks of 3 or greater in all parameters for trial flights were technically qualified.
- 7) How did you ensure physically that the weights of the Radiosondes and ground station quoted is the same as offered in WMO Intercompariosn of 2010.
- 8) How did you ensure physically that the sizes of the Radiosondes and ground station quoted is the same as offered in WMO Intercomparison of 2010.
- 9) How did you ensure physically that the dimensions of the Radiosondes and ground station quoted is the same as offered in WMO Intercomparison of 2010.
- 10) How did you ensure physically that the shapes of the Radiosondes and ground station quoted is the same as offered in WMO Intercomparison of 2010.
- 11) Is it true that the quoted Radiosondes is in plastic outer casing.
- 12) Kindly confirm that the Radiosonde offered is exactly the same that was offered in WMO Intercomparison. How was this ensured.

(4) Year to which the information pertains:

(5) Other relevant reference, if any:

Place: New Delhi

Date: 16-12-2020

Print

**Government of India
India Meteorological Department
O/o Director General of Meteorology,
SatMet Building, India Meteorological Department, Lodhi Road, New Delhi**

Dated: 15/01/2021

To

Shri Abhinav Kumar
A-243
Moti Bagh-1st
110022

Registration Number : IMETD/R/E/20/00303

Dear Sir/Madam

I am to refer to your Request for Information under RTI Act 2005, received vide letter dated 16/12/2020 and to say that *the point wise information pertaining to your query as received from the concerned section of this office is given below:*

Point 1&2 Tender No. CPU/53/0419/1527 is still undergoing approval of MoES and has not yet been finalized.

Point 3 to 12 All the details are not applicable at this stage.

In case, you want to go for an appeal in connection with the information provided, you may appeal to the Appellate Authority indicated below within **thirty days** from the date of receipt of this letter.

Dr. Vijay Kumar Soni
FAA & Scientist - F
Address: O/o DGM, India Meteorological DepartmentMausam Bhawan, Lodi RoadNew Delhi
Phone No.: 011-43824440

Yours faithfully

(Dr. A K Mitra)
CPIO & Scientist-E
Phone No.: 43824489
Email : imd.rti@gmail.com