



(<https://gem.gov.in/>)

[PRODUCTS](#) [SERVICES](#) [CONTENT](#)

Enter Keywords?



HOME ([HTTPS://MKP.GEM.GOV.IN/DASHBOARD](https://mkp.gem.gov.in/dashboard)) / BID FINALIZATION

BID DETAILS

TECHNICAL EVALUATION

FINANCIAL EVALUATION

EVALUATION

BID AWARDED

1. Bid Details

Bid Number: **GEM/2023/B/3992453** (</showbidDocument/5358994>)

Bid Status: Active

Quantity: 10

Bid Validity (From End Date): 180 (Days)

Competent Authority Document:
[View](#)

Bid Start Date / Time: 29-09-2023 18:49:28

Bid End Date / Time: 27-10-2023 17:00:00

Bid Opening Date / Time: 27-10-2023 17:30:00

Consignees / Reporting Officer / Delivery Location(S)

EMD: Required Track EMD ([Https://Bidplus.Gem.Gov.In/Bidding/Track/Track](https://bidplus.gem.gov.in/bidding/Track/Track))

Average Turn Over of Last 3 Years: 1000 Lakh (s) **Experience with Gov. Required:** Year (s)

Buyer Details

Name: Jai Prakash Gupta

Address: SOUTH EAST DELHI, Jai.Gupta@Imd.Gov.In, India, India Meteorological Department, Mausam Bhawan, Lodhi Road, DELHI, 110003, Jai Prakash Gupta

Ministry: Ministry Of Earth Sciences

Department: India Meteorological Department (Imd)

Organisation: Metnet : An E-Governance Intra-Imd Portal New Delhi

Office: Mausam Bhawan New Delhi

[Cancel Bid](#)

[Extend Bid](#)

[Edit Terms](#)

[Edit Pre Bid](#)

WEB INFO

[Terms of Use \(https://gem.gov.in/termsCondition\)](https://gem.gov.in/termsCondition)

[Website Policies \(https://gem.gov.in/websitePolicies\)](https://gem.gov.in/websitePolicies)

[Document Help \(https://gem.gov.in/help\)](https://gem.gov.in/help)

ABOUT GeM

[Introduction to GeM \(https://gem.gov.in/aboutus\)](https://gem.gov.in/aboutus)

[Statistics \(https://gem.gov.in/statistics\)](https://gem.gov.in/statistics)

[Right to Information \(https://gem.gov.in/RTI\)](https://gem.gov.in/RTI)

Site Map (<https://gem.gov.in/sitemap>)

Web Information Manager (<https://gem.gov.in/web-information-manager>)

NEWS & EVENTS

Newsroom (<https://gem.gov.in/media>)

Gallery (<https://gem.gov.in/gallery>)

Notifications
(<https://gem.gov.in/landing/index/allnews>)

CCM Schedule (https://gem.gov.in/ccm_data)

Forums (<https://gem.gov.in/forum>)

TESTIMONIALS
(<https://gem.gov.in/testimonial-buyers>)

TRAINING

LMS (<https://lms.gem.gov.in/>)

Training Calendar (<https://gem.gov.in/training>)

Training Module
(https://gem.gov.in/training/training_module)

Facilitators (<https://gem.gov.in/training/facilitators>)

Download GeM Logo
(<https://gem.gov.in/resources/images/download-gem-logo.jpg>)

Analytics (<https://sso.gem.gov.in/ARXSSO/oauth/login>)

New on GeM (<https://gem.gov.in/new-categories>)

BRAND GeM (<https://gem.gov.in/brand-gem>)
RESOURCES

GeM Handbook (https://assets-bg.gem.gov.in/resources/pdf/GeM_handbook.pdf)

OM's/Circulars
(https://gem.gov.in/support/government_oms_circulars)

Terms and Conditions
(https://gem.gov.in/support/terms_conditions)

Policies/Manuals (<https://gem.gov.in/support/buyers>)

Miscellaneous
(<https://gem.gov.in/support/miscellaneous>)

MoUs (<https://gem.gov.in/mou>)

NEED HELP?

FAQs (<https://gem.gov.in/userFaqs>)

Video Guides
(<https://gem.gov.in/training/videos/buyers>)

Raise-a Ticket (<https://gem.gov.in/gemtickets/create>)

Contact Us (<https://gem.gov.in/contactUs>)

Careers (<https://gem.gov.in/landing/index/careers>)

© 2023 GeM All rights reserved

Site operated and maintained by Managed Service
Provider



(https://twitter.com/GeM_India)



(<https://www.facebook.com/govGeM/>)



(<https://www.youtube.com/channel/UC1LaBWVZv3k23BZApfDIsQ>)



(<https://www.linkedin.com/company/government-e-marketplace-gem?trk=biz-companies-cym>)



(<https://www.slideshare.net/GeMProcurementReimag>)



Government of India
Ministry of Earth Sciences
India Meteorological Department
Lodi Road
New Delhi-110003

TENDER DOCUMENT

No. _____

FOR

PROCUREMENT OF

**10 DOPPLER WEATHER RADAR SYSTEMS
X-BAND DUAL POLARIZATION**

(WITH SSPA TRANSMITTER)

September, 2023

Upper Air Instruments Division

Underman

Aspirin

Type

INDEX

CHAPTER	DESCRIPTION	PAGE NO.
1	Instructions to Bidders (ITB)	4
2	Conditions of contract (CoC)	11
3	Schedule of requirements, specifications & allied technical details	34
4	Price schedule	56
5	Annexures (Other standard forms)	61



CONTENTS

S.No	Description	Page No.
1.	Instructions to bidders	4
2.	Conditions of contract	11
3.	Schedule of requirements, specifications & allied technical details	34
4.	Price schedule (financial bid format)	56
5.	Other standard forms	
6.	(i) Annexure - I Checklist	61
7.	(ii) Annexure - II Tender terms and conditions acceptance form	63
8.	(iii) Annexure - III Model bank guarantee format for furnishing EMD	65
9.	(iv) Annexure - IV Bank guarantee model format for performance security	66
10.	(v) Annexure -V Terms and conditions of CAMC	68
11.	(vi) Annexure - VI Format for deliverables for supply of 10 nos. SSPA based X-Band dual polarized Doppler weather Radars)	70
12.	(vii) Annexure - VII Proforma for performance statement	73
13.	(viii) Annexure -VIII List of locations for installation of radar	74
14.	(ix) Annexure - IX Pre-contract integrity pact	75
15.	(x) Annexure - X Proforma for certificate from the user indicating successful operation of radar	81
16.	(xi) Annexure- XI Non-Blacklisting declaration	82
17.	(xii) Annexure- XII Compliance table for technical evaluation	83
18.	(xiii) Annexure-XIII Form of Affidavit for Self Certification regarding Local Content in Doppler Weather Radar	106
19.	(xiv) Annexure-XIV Bank guarantee model format for advance payment	108
20.	(xv) Annexure-XV Format for Bid Securing Declaration	110

Insurer

Aspirita

CHAPTER-1**INSTRUCTIONS TO BIDDERS****1. Introduction:**

The India Meteorological Department (IMD) has issued this Tender Enquiry document for purchase of goods/stores/articles and related services as mentioned in "Request for Proposal (TENDER DOCUMENT)" which also indicates, inter alia, the required stores, delivery schedule, terms and conditions and place of delivery etc.

This section ("Instructions to Bidders") provides the relevant information as well as instructions to assist the prospective bidders in preparation and submission of tenders.

Bidders shall have accepted all the terms and conditions of tender including payment terms etc.

Acceptance shall be unconditional and bidders shall have no claim and right in future on their terms, if any.

2. Language of Tender:


The tender submitted by the bidder and all subsequent correspondence and documents relating to the tender exchanged between the bidder and IMD, shall be written in English language.

3. Tendering Expense:

The bidder shall bear all the costs and expenditure incurred and/or to be incurred by them in preparation, and in uploading their tender including attending the pre-bid conference and or arranging demonstration of Product/Services or Presentations that may be deemed necessary by IMD.

4. Pre-Bid Conference:

- a) Pre-bid conference shall be held as per Notice Inviting Tender (NIT) schedule so as to provide an opportunity to the bidders to interact with India Meteorological Department (IMD) with regard to various tender provisions/clauses, before the bids are submitted.
- b) Request for clarification during pre-bid, if any, may be sent by email latest by five working days before the commencement of pre-bid meeting. Pre-Bid minutes shall be uploaded on GeM/e-procurementportal(gem.gov.in/eprocure.gov.in/eprocure).
- c) Bidders are requested to attend or may depute their authorized representative for pre-bid meeting.



- d) In case, due to the points/doubts raised by the prospective bidders, tender needs to be modified, the same will be considered for modification.
- e) No change will be permissible after notification of pre-bid minutes
- f) No reply in this regard shall be sent to individual bidders.

5. **Regular inspection of website:**

Prospective bidders are advised to see GeM/Central Public Procurement (CPP) portal gem.gov.in/eprocure.gov.in/eprocure on regular basis for any change in NIT schedule like amendment / corrigendum in Tender Document including technical requirement and pre-bid minutes etc.

6. **Amendments to Tender enquiry (TE) documents:**

At any time, prior to the deadline for submission of tender, IMD may, for any reason deemed fit by it, modify the Tender Enquiry document by issuing suitable amendment(s) to it. The amendment will be uploaded on GeM/CPP portal gem.gov.in/eprocure.gov.in/eprocure only.

In order to provide reasonable time to the prospective bidders to take necessary action in preparing their tenders as per the amendment, IMD may, at its discretion extend the date for submission of tenders and other allied time frames, which are linked with that date.

7. **Documents Comprising the Tender:**

The tender is to be submitted in Two Bid System. The "**Techno - Commercial Bid**" and "**Price Bid**". It shall comprise the followings:

(A) **Techno - Commercial Tender (Un-priced Tender)**

- a) The following documents are to be furnished by the bidder along with Technical Bid (Techno-Commercial Bid) as per the eligibility conditions applicable. Bidder shall upload following documents on GeM portal/CPP Portal gem.gov.in/eprocure.gov.in/eprocure.
- b) Registration certificate of Bidder with any state and central government body of India. Credential/document shall be attached.
- c) Checklist section (as per Annexure-I) properly filled and signed.
- d) Scanned copy of Earnest Money Deposit (EMD) in the form of Fixed Deposit Receipt / Bank Guarantee (FDR/BG) and bid security declaration.
- e) Original EMD in physical form shall be submitted to Central Purchase Unit, Office of DGM, IMD, on or before opening of tender.




- f) Documentary evidence for fulfilment of Eligibility /Qualification criteria.
- g) Tender terms & Conditions Acceptance Form (as per Annexure-II) duly signed.
- h) Technical Bid duly signed and stamped on all pages.
- i) List of deliverables (un-priced/without price) shall be submitted with details of model being offered etc.
- j) All should be similar to the items in price bid. Pre-contract Integrity pact to be signed and provided along with bid document. (as per Annexure-IX)
- k) The above documents must be signed (all pages), stamped and scanned& shall be attached in the beginning of technical bid.**

(B) Price Bid (In separate envelop)

Price bid documents are to be furnished by the bidder as per following:

- a) All pages of the price bid should be page numbered, indexed and signed with company/firm's seal by authorized signatory.
- b) Price Bid shall be preferred as per price schedule format (Chapter-5).
- c) Costing of each and every item, sub item offered in bidder's technical bid, shall be done with all breakup prices.
- d) The bidder shall indicate on the Price Schedule specifying all components (main units and sub units etc. of each item) of prices shown therein including the unit prices and total tender prices of the goods (Hardware & Software), services, packing, transportation/freight/insurance to the sites, GST or any other duties and taxes applicable against the requirement.
- e) Contractor shall bear all the taxes (GST/IGST/SGST/Income-tax /WCT/or any other taxes) levied by the state / central government in force in India, as per the rates prevailing at the time of submission of tender in accordance with the Income-tax Act.
- f) Comprehensive Annual Maintenance Contract (CAMC) shall be for the maintenance of complete system including equipments and software therefore prospective bidders are advised to quote CAMC charges accordingly and specifically for seven years after the expiry of three years of warranty period. The charges are to be quoted for each year, on annual basis.

- g) The reasonability of cost including the CAMC charges shall be a criterion for deciding the lowest bidders. Justification of CAMC charges with breakup need to be submitted along with the bid.
- h) In case any charges for items are not mentioned in the price bid, it will be treated as all such items are free of cost.
- i) Vendors shall quote prices on F.O.R/FCA (at the sites of consignee) basis.
- j) If there is a discrepancy between the amount expressed in words and figures, the amount in words shall prevail.

Price bid shall summarily be rejected in case of any deviation from the un-priced bid given with the technical bid of the bidder.

Price bids shall not be accepted if CAMC charges are quoted in percentage.

8. Signing and Submission of Tender:

Properly signed and stamped tender on the company letterhead shall be uploaded online through GeM/CPP Portal, eprocure.gov.in/eprocure. Hard copy of bids shall not be accepted for submission. The tender shall not contain any over writing. Only PDF format of the tender shall be uploaded on GeM/CPP portal.

One set of hard copy of complete techno-commercial bid document to be submitted before opening of the bid.

9. Alteration and Withdrawal of Tender:

- a) The bidder after uploading its tender on GeM/CPP portal is permitted to alter / modify its tender within the deadline for submission of tenders.
- b) Any discrepancy noticed in the hard copy and the soft copy of the bid submitted online by the bidder, the uploaded soft copy will be treated as final version of the bid for evaluation.

10. Opening of Tenders:

IMD will open the tenders at the specified date and time and at the specified place as indicated in the NIT. In case the specified date of tender opening falls on / is subsequently declared a holiday or closed day for IMD, the tenders will be opened at the appointed time and place on the next working day.

- a) The online Technical Bids are to be opened at the prescribed date and time. These bids shall be scrutinized and evaluated

by the competent committee/ authority with reference to parameters prescribed in the TE document.

- b) Thereafter, in the second stage, the Price Bids of technically qualified bidders only shall be opened on a date notified after evaluation of the techno commercial tender.

11. Scrutiny and Evaluation for acceptance of tender

(A) Scrutiny of bids:

The tenders will be scrutinized to determine whether they are complete in all respects and meet the essential requirements, conditions etc. as prescribed in the TE document.

The tenders are liable to be treated as non - responsive and will be summarily rejected if following are not essentially provided along with techno-commercial bids.

- a) Registration certificate of bidding bidder with any state and central government body of India. (Credentials/documents shall be attached).
- b) Tender should be signed, stamped and complete in all respects. All documents shall also be digitally signed.
- c) Properly signed and stamped checklist (Annexure-I) and fully completed compliance statement is to be enclosed.
- d) Tender Acceptance Form (Annexure-II) to be duly signed and stamped. (i.e. all the terms & conditions of tender document are acceptable).
- e) Tender validity for the required period.
- f) Required EMD to be provided.
- g) Copy of agreement of prime bidder from India with its foreign principal, if any, along with the precise relationship between them and nature of services which would be available from Prime Bidder in India, also to be attached with the tender.

(B) Technical Evaluation:

- a) After the tender has been accepted for technical evaluation, tenders shall be evaluated to assess the technical suitability of the bid with respect to the terms and conditions of the RFP, by the committee constituted by competent authority.
- b) During the preliminary examination, if any clarification is required, IMD may ask for clarification from the bidders.
- c) Wherever necessary, IMD will convey its observation on such 'minor' issues to the bidder seeking bidder's response by a

Handwritten signature

Digital signature


109332/2023/UAID DGMHQ

specified date. If the bidder does not respond by the specified date or provides evasive/incomplete reply without clarifying the exact point in clear terms, that tender shall not be considered for further processing.

- d) Technical presentation in the presence of the committee shall be held in IMD. The committee will seek proof of capabilities claimed in the compliance matrix provided by the respective bidder. IMD will seek clarifications on the design, performance and other technical points during the presentation. All points will be recorded.

(C) Financial evaluation:

- a) After Technical Evaluation, the Price Bids of only the technically qualified bidders shall be opened for further scrutiny and evaluation on a date notified after completion of evaluation of the techno commercial tender.
- b) IMD shall evaluate the technically qualified financial bids for deciding lowest bidder (L-I) on the basis of landing costs of the store including all applicable taxes / levies / duties and installation and commissioning etc.
- c) The cost of CAMC charges etc. will be added to evaluate financial bid for deciding lowest bidder (L-1). Charges towards Insurance, Freight and transportation of goods up to delivery at sites etc. applicable. The cost of Warranty/ Extended Warranty not to be quoted separately. However, the cost of CAMC is to be quoted separately.
- d) IF ANY CHARGES ARE NOT INDICATED SPECIFICALLY AND SEPARATELY IN THE BID, SAME WILL BE TREATED AS INCLUSIVE.
- e) All the bidders must submit their financial quote in Indian rupees only.
- f) Purchase preference shall be given to all local suppliers in all procurement undertaken by the Purchaser (IMD) in the manner prescribed by the Department for Promotion of Industry and Internal Trade, Govt. of India, vide OM No. P-45021/2/2017-PP (BE-II) dated 4th June, 2020 as amended from time to time. Purchase preference shall be given to Class I local suppliers in all procurements undertaken by the purchaser in the following manner:
 - Among all qualified bids, the lowest bid will be termed as L1. If L1 is from a 'Class-I local supplier', the contract for full quantity will be awarded to L1.
 - If L1 bid is not a 'Class-I local supplier', 50% of the order quantity (this procurement being divisible in nature) shall be awarded to L1. Thereafter, the lowest bidder among the 'Class-I local supplier' will be invited to match the L1 price for the remaining 50% quantity subject to the Class-I local supplier's quoted price

falling within the margin of purchase preference (**20% as prescribed by DIPP OM dated 04.06.2020**), and contract for that quantity shall be awarded to such 'Class-I local supplier' subject to matching the L1 price. In case such lowest eligible 'Class-I local supplier' fails to match the L1 price or accept less than the offered quantity, the next higher 'Class-I local supplier' within the margin of purchase preference shall be awarded accordingly. In case some quantity is still left uncovered on Class-I local suppliers, then such balance quantity may also be ordered on the L1 bidder.

In case the TE document permits the bidders to quote their prices in different currencies, all such quoted prices of the responsive bidders will be converted to Indian Rupees for the purpose of equitable comparison and evaluation, as per the selling rate of exchange of State Bank of India prevailing on the closing date of the submission of bid.

12. **Packaging and Marking:**

The packaging for the goods provided by contractor should be strong and durable enough to withstand, without limitation, the entire journey during transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc.

13. **Inspection, Testing and Factory acceptance test (FAT):**

- a) IMD reserves the right to inspect goods at factory site/supplier site before their dispatch if required and mentioned in technical requirement (TENDER DOCUMENT) section.
- b) FAT shall be undertaken by IMD based on mutually acceptable terms and condition.
- c) Goods accepted by IMD/consignee and/or its inspector at initial inspection shall in no way dilute purchaser's/consignee's right to reject the same later, if found deficient in terms of the clauses of the contract.
- d) The equipment will be accepted subject to final inspection and test on commissioning and before handing over the equipment to consignee at the site.
- e) During FAT, cost of travel, per diem charges and charges for boarding/lodging for IMD personnel (5 persons) will be borne by IMD, Government of India.

Indumma

Apita

CHAPTER-2**Conditions of Contract (CoC)**

Contractors shall accept all the terms and conditions of tenders including payment terms etc. Acceptance shall be unconditional and contractors shall have no claim and right in future on their terms if any.

Any Special instructions as per "List of requirements/ technical specifications" section will also apply for this purchase.

The conditions (like qualification criteria, delivery schedule, mode of delivery & sites of delivery etc.) mentioned in "List of requirements/ technical specifications section" etc. will also apply for this purchase.

The date of installation of each Radar at 10 different places may vary and accordingly its commissioning date may vary which will result in different warranty period and different CAMC period of all 10 Radars. This factor shall be taken in to account while devising the contract clause, warranty clause, CAMC clause and especially in the payment terms and conditions as mentioned in RFP.

NOTE: *Whenever there is any conflict between the provisions in the CoC with regard to specific Para under "Chapter-3", the provision contained in the "Schedule of requirements, specifications & allied technical details" shall prevail and have an over-riding effect.*

1. Tender Validity:

The tenders shall remain valid for acceptance for a period of 180 days (one hundred eighty days) after the date of tender opening prescribed in the TE document.

2. Purchaser's Right to accept any tender and to reject any or all tenders:


IMD reserves the right to accept in part or in full any tender or reject any tender without assigning any reason or to cancel the tendering process and reject all tenders at any time, prior to award of contract, without incurring any liability whatsoever to the affected bidder or bidders.

3. Tender Fee:

No tender fee is charged on the downloaded and e-tenders.

4. Price preference:

- a) Price preference shall be given to Micro and Small Industries registered as manufacturers for weather radar equipment as



per requirement of tender document with National Small Industries Corporation or any other government agencies as per the latest guidelines/orders from Government of India.

- b) Purchase preference and quantity etc. shall be decided as per the Government of India orders.
- c) The bidders shall have to upload and submit the copy of valid registration certificate. Micro and small Enterprises are exempted from submitting fees/cost towards tender document and submission of earnest money deposit (EMD), also known as security deposit.
- d) Start-ups shall be exempted from payment of Earnest Money, they shall be required only to submit Bid Security Declaration.
- e) Micro and small Enterprises are not exempted for performance security or Bank Guarantee (BG) and have to furnish performance security if contract is awarded to them. There is no relaxation in this regard.

5. Qualification criteria for Bidders:

I. Eligibility

- A) Bid is open to all manufacturers of weather radars in India. The bids are only open for Class I local supplier and class II local suppliers. Purchase preference would be available for Class I local supplier. As per Govt. of India Procurement Policies:

"Class-I Local supplier" means a supplier or service provider, whose goods or service offered for procurement, has local content equal to or more than 50% as defines as prescribed in DIPP Order No.P-45021/2/2017-PP (BE-II) dated 4th June, 2020 or by the competent Ministries/Departments in pursuance of this order.

"Class-II Local supplier" means a supplier or service provider, whose goods or service offered for procurement, has local content more than 20% but less than 50% as defined as prescribed in DIPP Order No.P-45021/2/2017-PP (BE-II) dated 4th June, 2020 or by the competent Ministries/Departments in pursuance of this order.

"Local content" means the amount of value added in India which shall, unless otherwise prescribed by Nodal Ministry, be the total value of the items procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all custom duties) as a proportion of the total value, in percent.

- B) Provisions of the Public Procurement (Preference to Make in India) order issued by the Department for Promotion of Industry and Internal Trade, Govt. of India, vide OM No. P-

109332/2023/UAID DGMHQ

45021/2/2017-PP (BE-II) dated 4th June, 2020 and 16th September, 2020 shall be applicable in the tendering process.


- C) As described in DIPP OM No. P-45021/2/2017-PP (BE-II) dated 15th June, 2017, "A supplier or bidder shall be considered to be from a country if (i) the entity is incorporated in that country, or ii) a majority of its shareholding or effective control of the entity is exercised from that country; or (iii) more than 50% of the value of the item being supplied has been added in that country. Indian suppliers shall mean those entities which meet any of these tests with respect to India."
- D) The prime bidder, hereinafter referred simply as the "The bidder". Bidders should not be associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by IMD to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods to be purchased under this Invitation of Bids.
- E) Bidders who fulfil the Eligibility Criteria mentioned in Chapter-2, clause-5, will be considered for Technical Evaluation of bids.
- F) Bidders should have proven capabilities in manufacturing Doppler weather radars.
- G) The Bidder should not be blacklisted by any Central/State Government Department/Organization/PSU as on the date of submission of bid. Undertaking as per Annexure-XI of Chapter-5 to be submitted.
- H) Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority as per Department of Expenditure, Ministry of Finance Order No. F. No.6/18/2019-PPD dated 23-07-2020, and other Govt. of India orders issued from time to time on the matter.

II. Manufacturing capability

Along with all the necessary documents/certificates required as per the tender conditions, the bidder to furnish a brief write-up, backed with adequate data, explaining his available capacity (both technical and financial), for manufacture and supply of the required goods/equipment, within the specified time of completion.

Supporting documents submitted by the bidder must be certified and submitted as follows:

All copies of supply/work orders; respective completion certificate and contact details of clients; documents issued

by the relevant Industries Department /manufacturing license; annual report, etc.

The bids are open only for Class I local supplier and class II local suppliers as specified in Chapter 2, clause I. Eligibility under Para 5, Qualification criteria for Bidders.

As a Make in India initiative, twenty percent (20%) of total contract value will be paid as advance payment against bank guarantee after issuance of supply order to support the bidder in design and manufacturing of high-end engineering goods in India.

III. Creditworthy report

The Creditworthy Report of the OEM / Principal supplier for the Current Financial Year is to be enclosed along with the Technical Bid. The minimum rating for Financial Qualification is Rating-Ba.

The creditworthy report obtained from a reputed and Govt. of India recognised firm shall only be acceptable. However, report should have been obtained after 31st March, 2023.

IV. Experience and Past Performance:

The Bidder shall satisfy the following criteria to qualify during the last ten years from the date of submission of Bid:

The Bidder must have executed successfully supply order for Doppler weather radar.

In support of experience, past performance and capacity/capability should be authenticated by the person authorized to sign the tender on behalf of the bidder. Original Documents must be submitted for inspection, if so demanded.

Relaxation of Norms for Startups and Micro & Small Enterprises in Public Procurement on Prior Experience-Prior Turnover criteria shall be considered as per the MSME Policy Circular No. 1(2)(1)/2016-MA dated 10th March 2016 under which in exercise of Para 16 of Public Procurement Policy for Micro and Small Enterprises Order 2012, it is clarified that condition of prior turnover and prior experience is relaxed with respect to Micro and Small Enterprises in all public procurements subject to meeting of quality and technical specifications.

V. Financial Standing - under all conditions

Bidder should submit individual statement confirming compliance to all of the following with documents.

- a) "The average annual- financial turnover of 'The Bidder' during the last three years, ending on '31st March, 2023', should be at least ten crores (Rs. 10.00 Cr) per annum or equivalent in foreign currency, at exchange rate prevalent on the date of submission of bid. In this regard audited

Insurer

Apita

annual balance sheet and profit or loss statement/reports, duly authenticated (by a Chartered Accountant/Cost Accountant in India or equivalent in relevant countries) of last three consecutive years shall be submitted along with technical bid. The profit/loss statement should categorically indicate profit or loss for each year."

- b) Bidder should not have suffered any financial loss for more than one year during the last three years, ending 31st March 2023.
- c) The net worth of the bidder should not be negative on 'The 31st March 2023 or latest last financial year' and also should have not eroded by more than 30% (thirty percent) in the last three years, ending on 'The 31st March 2023 or latest last financial year'.
- d) In case of Indian Bidder who have been restructured by Banks in India, under the statutory guidelines, they would be deemed to have qualified the financial standing criteria considering the institutional financial backing available to them.
- e) In case of start-ups and MSEs, the condition of prior turnover is relaxed as per the MSME Policy Circular No. 1(2)(1)/2016-MA dated 10th March 2016 and as per Clause 5 (IV), Chapter 2.

VI. **Applicability in Special Cases.**

a) Applicability under 'Make in India'

(I) Bidders who have a valid/approved ongoing 'Make in India' agreement/program with Government of India and who, while meeting all other criteria above, would also be considered to be qualified provided:

- i. Their foreign "Make in India" associates meet all the criteria above without exemption, and
- ii. The bidder submits appropriate documentary proof for a valid/approved ongoing 'Make in India' agreement / program.
- iii. The Bidder furnishes along with the bid, a legally enforceable undertaking, jointly executed by himself and principals, for manufacture, supply (and erection, commissioning) and performance of the product offered including all warranty obligations as per the general conditions of contract.

(II) As prescribed by the Department for Promotion of Industry and Internal Trade, Govt. of India, vide OM No. P-45021/2/2017-PP (BE-II) dated 4th June, 2020, bidder shall be required to provide following (at the time of bidding) for verification of local content:

Handwritten signature

Signature

1. The 'Class-I local supplier' / 'Class-II local supplier' at the time of tender, bidding or solicitation shall be required to indicate percentage of local content and provide self-certification (**as per Annexure-XIII**) that the item offered meets the local content requirement for 'Class-I local supplier' / 'Class-II local supplier', as the case may be. They shall also give details of the location(s) at which the local value addition is made.
2. In cases of procurements for a value in excess of Rs. 10 Crores, the 'Class-I local supplier' / 'Class-II local supplier' shall be required to provide a certificate from the statutory or cost auditor of the company (in the case of companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.

6. Contact Details:

The complete name and address of the bidder along with permanent income tax account number (PAN) as allotted by the Indian Income Tax authority must be submitted.

7. Earnest Money Deposit (EMD):

The bidder shall furnish along with its tender, earnest money for an amount as shown in the Notice Inviting Tender (NIT). The earnest money is required to protect the purchaser against the risk of the tenderer's unwarranted conduct.

- a) The bidder should enclose bid security (EMD) in the form of Account Payee Demand Draft, Fixed Deposit Receipt, Banker's Cheque, Bid Security Declaration (As per Annexure XV), Bank Guarantee (As per Annexure-III), Insurance Surety Bond from any of the Commercial Banks drawn in favor of DDO, O/o DGM, IMD, New Delhi.
- b) The tenders without EMD shall be summarily rejected. No exemption for EMD will be entertained. The EMD of the unsuccessful bidders shall be returned without interest after award of work to the successful bidder. The EMD of the successful bidder shall be returned only after the signing of the contract along with performance security deposit. The EMD stands forfeited in case the bidder withdraws or amends his bid after submission of tender document and tender closing date/time. (GeM portal/CPMP permits bid modification before bid closing date/time).
- c) In addition to the above "Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of **Micro, Small and Medium Enterprises (MSME)**" are exempted from submission of EMD (bid security).




- d) Bidders claiming exemption of EMD under this rule (170 of GFR) are however required to submit a signed Bid securing declaration **(as per Annexure-XV)** accepting that if they withdraw or modify their bids during the period of validity, or if they are awarded the contract and they fail to sign the contract, or to submit a performance security before the deadline defined in the request for bids document, they will be suspended for the period of 02 years from being eligible to submit bids for tenders with India Meteorological Department.

8. Refund of EMD:

- a) EMD of the unsuccessful bidders will be returned to them without any interest, after expiry of the tender validity period.
- b) EMD of the contractor will be returned without any interest, after receipt of performance security from the contractor.
- c) Contractor shall submit pre-receipt for obtaining back their security.

9. Forfeit of EMD:


- a) Earnest money of a bidder will be forfeited, if the bidder withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of its tender or if it comes to notice that the information/documents furnished in its tender is incorrect, false, misleading or forged without prejudice to other rights of IMD.
- b) The contractor's earnest money will be forfeited without prejudice to other rights of Purchaser if supplier fails to furnish the required performance security within the specified period.
- c) Bidder shall have to extend the validity of EMD if extension of tender validity is agreed on the request of purchaser in exceptional cases.

10. Performance Security:

A. Submission

Contractor shall submit performance security as per Annexure-IV, within thirty (30) days from date of dispatch of supply order/award of contract by IMD or within twenty one (21) days from the receipt of supply order by contractor whichever is earlier.

- a) IMD may consider annulment/cancellation of supply order/award of contract if performance security not received in stipulated time.

- b) There is no relaxation/exemption in submitting of performance security.
- c) Contractor shall furnish performance security to IMD for an amount equal to ten percent (10%) of the total value of the contract excluding CAMC, if any, valid up to sixty (60) days beyond the warranty period.
- d) For CAMC, the prime Bidder shall furnish performance security to IMD for an amount equal to five per cent (5%) of the total value of the CAMC, valid up to sixty (60) days after the date of completion of all contractual obligations of CAMC by contractor/service provider (TO BE SUBMITTED 30 DAYS BEFORE COMPLETION OF WARRANTY PERIOD).
- e) Performance Security has to be submitted irrespective of its registration in NSIC etc.
- f) Performance security is not relaxed to any bidder.
- g) The bidder should enclose Performance Guarantee in the form of Account Payee Demand Draft, Fixed Deposit Receipt, Banker's Cheque, Bank Guarantee, Insurance Surety Bond from any of the Commercial Banks drawn in favour of purchaser.
- h) In the event of any amendment issued to the contract, contractor shall, within twenty-one (21) days of issue of the amendment, furnish the corresponding amendment to the Performance Security (as necessary), rendering the same valid in all respects in terms of the contract, as amended.

B. Refund

IMD will release the already submitted valid Performance Security without any interest to contractor/service provider on completion of contractor's all contractual obligations including the warranty and CAMC obligations. Contractor shall submit pre-receipt for obtaining back their security.

11. Terms of Delivery:

- a) Goods shall be delivered by contractor in accordance with the terms of delivery schedule specified in the contract on DAP (Delivery at Place) basis. All the items are required to be delivered directly at respective sites. Dispatch of stores will be on DAP (Delivery at Place) basis. The firm will be responsible to deliver the items at each site.
- b) Suppliers should not deliver the goods after the valid delivery period unless a prior consent has been obtained from the competent authority of IMD and date of delivery extended in writing.

12. Delivery schedule:

Indurman

Apita

109332/2023/UAID DGMHQ

- a) As per "List of Requirements" under TENDER DOCUMENT-The Date, on which all the stores as per supply order have been installed and commissioned at all the 10 sites of IMD on DAP (Delivery at Place) basis shall be treated as the final date of delivery of stores for calculating liquidated damages etc.
- b) IMD shall ensure readiness of sites for installation at the time of delivery. However, IMD reserves the right to decide the chronological order in which proposed 10 sites shall be made available for installation.
- c) In case contractor dispatches the goods without obtaining an extension, it would be doing so at its own risk and no claim for payment for such supply and / or any other expense related to such supply shall be against IMD.
- d) If at any time during the currency of the contract, the contractor encounters conditions hindering timely delivery of the Goods and performance of incidental Works/ Services, he shall promptly inform IMD in writing about the same and its likely duration. He must make a request to IMD for an extension of the delivery schedule. On receiving the contractor's communication, IMD shall examine the situation and, at its discretion, may agree to extend the delivery schedule, with or without liquidated damages and with and without denial clause by issuing an amendment to the contract.
- e) Conditions for Extension of Delivery Period: When the period of delivery is extended due to unexcused delay by the contractor, the amendment extending the delivery period shall, inter alia, be subject to the following conditions:
- f) Liquidated Damages: IMD shall recover from the contractor, under the provisions of this clause, liquidated damages on the Goods and incidental Works/ Services, which the contractor has failed to deliver within the delivery period stipulated in the contract.
- g) Denial Clause:
- (i) No increases in price on account of any statutory increase in or fresh Imposition of GST, customs duty or on account of any other taxes/ duty/ cess/ levy), leviable in respect of the Goods and incidental Works/Services stipulated in the said contract which takes place after the original delivery date, shall be admissible on such of the said Goods, as are delivered after the said date; and
- (ii) Notwithstanding any stipulation in the contract for an increase in price on any other ground, including price variation clause or foreign exchange rate variation, or any other variation clause, no such increase after the original delivery date shall be admissible on such goods delivered after the said date.
- (iii) Nevertheless, IMD shall be entitled to the benefit of any decrease in price on account of reduction in or remission of GST, customs duty or on account of any other Tax or duty or any other ground as stipulated in the price variation clause or foreign exchange rate variation or any other variation clause which takes place after the expiry of the original delivery date.

*hmm**Apita*

13. Force Majeure:

- a) On the occurrence of any unforeseen event, beyond the control of either Party, directly interfering with the delivery of Services arising during the currency of the contract, such as war, hostilities, acts of the public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, strikes, lockouts, or acts of God, the affected Party shall, within a week from the commencement thereof, notify the same in writing to the other Party with reasonable evidence thereof. Unless otherwise directed by IMD in writing, the contractor shall continue to perform its obligations under the contract as far as reasonably practicable and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event. If the force majeure condition(s) mentioned above be in force for 90 days or more at any time, either party shall have the option to terminate the contract on expiry of 90 days of commencement of such force majeure by giving 14 days' notice to the other party in writing. In case of such termination, no damages shall be claimed by either party against the other, save and except those which had occurred under any other clause of this contract before such termination.
- b) Notwithstanding the remedial provisions contained in GCC-clause 9.12 or 12.1, none of the Party shall seek any such remedies or damages for the delay and / or failure of the other Party in fulfilling its obligations under the contract if it is the result of an event of Force Majeure.

14. Warranty:

- a) The warranty shall be on-site warranty for 03 years. The quoted rate shall be deemed to be included in the quoted prices.
- b) All supplied stores should be free from all defects and faults in material workmanship and manufacture.
- c) Goods should be of the highest grade and consistent with the established and generally accepted standards for material of the type used and in full conformity with the specifications, drawings, or samples and shall, if operable, operate as per rated parameters mentioned in this RFP.
- d) Contractor shall be bound to furnish a clear written warranty for 3 years.
- e) Contractor will be required to replace defective goods at site, free of cost inclusive of all freight and handling charges.
- f) Contractor shall provide warranty certificate from the OEM for the goods along with date of manufacture of stores/products.
- g) Contractor shall take over the replaced parts/ goods after providing their replacements and no claim, whatsoever shall lie on IMD for such replaced parts/goods thereafter.




109332/2023/UAID DGMHQ

- h) Custom duty charges, if any, for re-export/re-import of defective parts/repaired parts or replaced parts to the foreign supplier country for repairs etc shall be borne by supplier only.
- i) Transportation cost for sending defective parts for repairs and sending back repaired or replaced one to IMD site(s), shall be borne by supplier itself.
- j) Warranty shall be quoted as per IMD requirements i.e. three years after commissioning of the individual Radars, otherwise the Bid shall be considered as unresponsive.
- k) Other condition, if any, under warranty clause of "List of requirements/ technical specifications" section shall also be applicable.
- l) The maximum down time permissible is 5-days in each quarter (90days), excluding period for preventive maintenance, for each radar. If there is a failure of the system for more than the criteria stipulated above then LD will be applicable at the rate of 0.5% per day (calculated for value of that station) and part there of subject to maximum of 10% of charges for that quarter.

15. Comprehensive Annual Maintenance Contract (CAMC) for Equipment and Software

- a) IMD reserves the right to enter into Comprehensive Annual Maintenance contract between IMD and Successful contractor after the completion of warranty period.
- b) CAMC shall be for the maintenance of complete installation (including equipment and software). Prospective Bidders are advised to quote accordingly and specifically.
- c) Payment for maintenance contract is made on quarterly basis unless it is specified otherwise in the technical section.
- d) As per IMD requirements, year wise CAMC shall be quoted for 07 years after completion of 03 years warranty period, otherwise the Bid shall be considered as unresponsive.

16. Penalty clause/Liquidated damages clause (LD) for delayed delivery of stores & Services:

- a) Contractor shall deliver the goods and perform the services (delivery, installation, acceptance and commissioning) under the contract within the time schedule specified by IMD in the "List of requirements/ technical specifications" section and as incorporated in the supply order.
- b) The delivery date shall be considered as the date on which all the items/stores/materials/services etc., have been delivered on DAP (Delivery at Place) basis as per Supply/Purchase order. Any delay shall be taken into account





109332/2023/UAID DGMHQ

for penalty/LD purpose as per term/conditions of the contract.

- c) Penalty/Liquidated damages shall be calculated on the total purchase/contract price per radar site including the element of taxes etc., mentioned in the price bids.
- d) IMD shall, without prejudice to other rights and remedies available to IMD under the contract, deduct as penalty/liquidated damage from the contract price, a sum equivalent to 0.5% (half percent of cost of stores) of contract value of each radar per week of delay or part thereof on delayed supply of goods and/or delayed services in deviation to the milestone in Delivery Schedule, mentioned elsewhere in the document, subject to a maximum of 10% of the total contract value.
- e) L/D shall not be imposed under force majeure conditions.
- f) Once the maximum is reached purchaser may also consider following:
 - i. Forfeiture of the performance security.
 - ii. Termination of the contract for default.
 - iii. Black Listing of the firm; if the firm will not adhere to the IMD terms and conditions of the contract.**
- g) Contractor shall not be held responsible for delay in delivery of stores and their installation under the following reasons:
 - i. *Delay in providing Entry permits/Road Permits (if required) to Contractor by IMD.*
 - ii. *Delay in providing proper site(s) by IMD to Contractor, for installation of stores.*
 - iii. *Delay in providing No Objection Certificate (NOC), required from any other government agency/agencies. Communication facility required for project to be provided to contractor by IMD, if it is not the responsibility of supplier.*
 - iv. *Due to delay in any or all the above conditions the prescribed date of delivery shall be extended by the number of days of delay.*
- h) Contractor shall inform to IMD directly in writing regarding any delay on part of IMD.

17. Award Criteria and Tolerance Clause:

- a) The purchase order / supply order shall be awarded to the eligible responsive BIDDER tender, evaluated as the most economical, technically qualified and suitable to the requirements.

- b) IMD shall reserve the right to increase/decrease the ordered quantity by 20 (Twenty) percent at any time, till final delivery date (or the extended delivery date of the contract) at the same price with same terms and conditions subject to approvals from competent authority, by giving reasonable notice even though the quantity ordered initially has been supplied in full before the last date of the delivery period (or the extended delivery period).


18. Modification of contract:

- a) If necessary, during the period of the contract, IMD may amend the contract, by making alterations and modifications within the general scope of contract and issue a written order in this regard to Contractor at any time.
- b) The successful bidder shall sign a contract/agreement with IMD as per terms and conditions specified in this RFP. The format of the Agreement will be provided after finalisation of successful bidder.
- c) If any of the contract provisions must be modified after the contract documents have been signed, the modifications shall be made in writing and signed by IMD, and no modified provisions shall be applicable unless such modifications have been done. No variation in or modification of the contract terms shall be made except by a written amendment signed by IMD. Requests for changes and modifications may be submitted in writing by the contractor IMD. At any time during the currency of the contract, the Procuring Entity may suo-moto or, on request from the contractor, by written order, amend the contract by making alterations and modifications within the general scope of the Contract.
- d) If the contractor does not agree to the suo-moto modifications/ amendments made by IMD, he shall convey his views within 14 days from the date of amendment/ modification. Otherwise, it shall be assumed that the contractor has consented to the amendment.
- e) Any verbal or written arrangement abandoning, modifying, extending, reducing, or supplementing the contract or any of the terms thereof shall be deemed conditional and shall not be binding on IMD unless and until the same is incorporated in a formal instrument and signed by the Procuring Entity, and till then IMD shall have the right to repudiate such arrangements.

19. Taxes and Duties in India:

a. Duties and Local Taxes:

- i. The contractor shall be entirely responsible for all taxes, duties, fees, levies etc., incurred until delivery of the Services to the Procuring Entity. Further instruction, if any, shall be as provided in the SCC.

- ii. If applicable under relevant tax laws and rules, the Procuring Entity shall deduct from all payments and deposit required taxes to respective authorities on account of GST Reverse Charge Mechanism; Tax Deducted at Source (TDS), and Tax Collected at Source (TCS) relating to Income Tax, labour cess, royalty etc.
- iii. Contractor shall pay Work Contract Taxes (WCT), GST/IGST/SGST/ Service Tax and other taxes where applicable as per existing rules at that time. It shall be included in his cost so quoted.

(a) Provisions of GST

- Break up of different price elements, i.e., as per GST Act, shall be indicated separately, along with its associated HSN code and GST rate.
- While quoting the basic rate, the bidder should offset the input credit available as per the GST Act.

(b) **Goods and Services Tax (GST)**

• **GST Registration Status:**

1) All the Bidders should ensure that they are GST compliant and their quoted tax structure/ rates as per GST Act/ Rules. Bidder should be registered under GST and furnish GSTIN number and GST Registration Certificate in their offer unless they are specifically exempted from registration under specific notification/ circular/ section/ rule issued by statutory authorities.

2) GST Registration Number (15-digit GSTIN). If the bidder has multiple business verticals in a state and has separate registration for each vertical, the GSTIN of each vertical is concerned with the delivery of Services involved, as per the Schedule of Requirements and Price Schedule's scope be quoted. If the services provided are from multiple states, the bidder should mention GST registration numbers for each state separately.

3) Composition scheme: If the Bidder has opted for a composition levy under Section 10 of CGST, he should declare the fact while bidding along with GSTIN and GST registration certificate.

4) Exemption from Registration: If a bidder is not liable to take GST registration, i.e., having turnover below threshold, he shall submit undertaking/ indemnification against tax liability. Bidder claiming exemption in this respect shall submit a valid certificate from practising Chartered Accountant (CA)/ Cost Accountant with Unique Document Identification Number (UDIN) to the effect that Bidder fulfils all conditions prescribed in notification exempting him from registration. Such bidder/ dealer shall not charge any GST and/ or GST Cess in the bill/ invoice. In such case, applicable GST shall be deposited under Reverse Charge Mechanism (RCM) or otherwise as per GST Act by the Procuring

Indurman

Apita

109332/2023/UAID DGMHQ

Entity directly to concerned authorities. Bidder should note that his offer would be loaded with the payable GST under the RCM. Further, Bidder should notify and submit to the Procuring Entity within 15 days from the date of becoming liable to registration under GST.

5) The Procuring Entity's state-wise GSTINs are indicated in Section VI - Schedule of Requirements.

• **HSN Code and GST Rate:**

- 1) HSN (Harmonized System of Nomenclature) code for the goods provided in this Tender Document is only indicative. It shall be the responsibility of Bidder to ensure that they quote the exact HSN Code and corresponding GST rate for each activity of the Services being offered by them.
- 2) As per the GST Act, the bid and contract must show the GST Tax Rates (and GST Cess if applicable) and GST Amount explicitly and separate from the bid/ contract price (exclusive of GST). If the price is stated to be inclusive of GST, the current rate included in the price must be declared by the bidder.
- 3) If a Bidder asks for GST (and GST Cess if applicable) to be paid extra, the rate and nature of such taxes applicable should be shown separately. Bidders should quote 'GST' if payable extra on the total basic rate of each service and quoted GST in '%' inclusive of cess.
- 4) If GST, other taxes, duties are not specified, or column is left blank in the price schedule, it shall be presumed that no such tax/ levy is applicable or payable by the Procuring Entity.
- 5) Applicability to Imported Goods/ Services: Following the implementation of GST, the import of commodities shall not be subject to such erstwhile applicable duties like safeguard duty, education cess, basic customs duty, anti-dumping duty, etc. All these supplementary custom duties are subsumed under GST. The supply of commodities or services or both, if imported into India, shall be considered as supply under inter-state commerce/ trade and shall attract integrated tax (IGST). The IGST rate and GST cess shall be applicable on the 'Custom Assessable Value' plus the 'Basic Customs duty applicable thereon'.

c) **Payment of GST Tax under the contract:**

- (i) The payment of GST and GST Cess to the contractor shall be made only on the latter submitting a GST compliant Bill/ invoice indicating the appropriate HSN code and applicable GST rate thereon duly supported with documentary evidence as per the provision of relevant GST Act and the Rules





made there under. The delivery of Services shall be shown being made in the name, location/ state, and GSTIN of the beneficiary of the Services only, the location of the procurement office of IMD has no bearing on the invoicing.

- (ii) While claiming reimbursement of duties, taxes etc. (like GST) from the procuring entity, as and if permitted under the contract, the contractor shall also certify that in case it gets any refund out of such taxes and duties from the concerned authorities at a later date, it (the contractor) shall refund to the procuring entity, the procuring entity share out of such refund received by the contractor. The contractor shall also refund the appropriate amount to the Procuring Entity immediately after receiving the same from the concerned authorities.
- (iii) All necessary adjustment vouchers such as Credit Notes/ Debit Notes for any short/ excess delivery of Services or revision in prices or any other reason under the contract shall be submitted to procuring entity in compliance with GST provisions.
- (iv) GST shall be paid as per the rate at which it is liable to be assessed or has been assessed provided the provision of Services is legally liable to such taxes and is payable as per the terms of the contract subject to the following conditions:
 - The procuring entity shall not pay a higher GST rate if leviable due to any misclassification of HSN number or incorrect GST rate incorporated in the contract due to contractor's fault. Wherever the contractor invoices the Goods at GST rate or HSN number, which is different from that incorporated in the contract, payment shall be made as per GST rate, which is lower of the GST rates incorporated in the contract or billed.
 - However, the procuring entity shall not be responsible for the contractor's tax payment or duty under a misapprehension of the law.
 - Bidder is informed that he shall be required to adjust his basic price to the extent required by a higher tax rate billed as per invoice to match the all-inclusive price mentioned in the contract.



- In case of profiteering by the contractor relating to GST tax, the contractor shall treat it as a violation of the Code of Integrity in the contract and avail any or all punitive actions thereunder, in addition to recovery and action by the GST authorities under the Act.
 - (v) The contractor should issue Receipt vouchers immediately on receipt of all types of payments along with tax invoices after adjusting advance payments, if any, as per Contractual terms and GST Provisions.
 - (vi) Liquidated damages or any other recoveries should be shown as deductions on the invoice, and GST shall be applicable only on the balance payment due.
- d) **Statutory Variation Clause:** Unless otherwise stated in the contract, statutory increase in applicable GST rate only during the original delivery period shall be to procuring entity account. Any increase in the rates of GST beyond the original completion date during the extended delivery period shall be borne by the contractor. The benefit of any reduction in GST rate must be passed on to procuring entity during the original and extended delivery period. However, GST rate amendments shall be considered for quoted HSN code only, against documentary evidence, provided such an increase of GST rates takes place after the last date of bid submission.
- iv. Normally materials to be supplied to Govt. Department against Govt. contracts are exempted from levy of town duty, Octroi duty, terminal tax and other levies of local bodies. The local Town/Municipal Body regulations at times, however, provide for such exemption only on production of such exemption certificate from any authorized officer.
- v. IMD is exempted from payment of local taxes/ levies i.e. town duty, Octroi duty, terminal tax etc. Certificate for the same shall be issued to the successful contractor. However, in case, some department does not honour the certificate of IMD the contractor may make payment for the same and seek reimbursement from the department with prior information and written permission of IMD.
- vi. Successful contractor shall pay the Octroi, entry tax etc. if exemption certificate not agreed by local authorities and same may be got reimbursed from purchaser on proof of payments to avoid delay in the supply of stores.

Note: All payments due under the contract shall be paid after deduction of statutory levies at source (like ESIC, IT (TDS), GST, LBT / Octroi etc.), wherever applicable.



b. Supply of Road Permits by the indenter /consignee:

In all such cases where the requirement of Road Permit for entry of goods into a particular State is mandatory, the following provisions shall be strictly followed: -

- i. Contractor shall request the indenter/consignee for providing Road permit within 10 days of the receipt of the Supply order.
- ii. Contractor shall furnish all the necessary information and documents in this regard to consignee.
- iii. On receipt of the above request from Contractor, IMD concerned shall arrange to provide the Road permit/way Bill in the prescribed form to Contractor within a maximum period of 20 days so that the same reaches Contractor before the dispatch of the stores,
- iv. However, in cases where the Road permit/Way Bill is issued on proof of actual invoice of the material, IMD shall arrange to provide the Road permit/way Bill from appropriate authorities within a maximum period of 20 days from the receipt of invoice.
- v. Contractor shall not be held responsible for any delay in supply due to non- supply/delayed supply of Road permit provided he applies for it in time.

c. Income Tax and service tax etc:

- i. Tax deduction at source (TDS) shall be done before making payment to Contractors as per existing law in force. The bidders may visit website of Income Tax Department of India for details of Tax Liabilities, Rules, and Procedures etc.
- ii. Indian bidders shall provide their Permanent Income Tax Number (PAN), TAN and GST registration number as required.

20. Terms and Mode of Payment:**a) Supply, installation and commissioning of the systems: -*****Payment Terms:***

Payment, as per term mentioned below, shall be made subject to recoveries, if any, by way of liquidated damages /penalty clause /TDS or any other charges as per terms & conditions of contract if not specified elsewhere in the document.

The firm shall raise the respective bills for 04 X-Band DWRs for the state of Uttar Pradesh namely Aligarh, Jhansi, Lucknow and Azamgarh in the name of 'Secretary, Department of Revenue,




Government of Uttar Pradesh' and the payment for the same shall be made directly to the firm by GoUP. Similarly, the firm shall raise the respective bills for 06 X-Band DWRs (Urban Meteorology) namely Varanasi, Pune, Kolkata, Bhubaneswar, Kozhikode and Purnea in the name of 'Director General of Meteorology, IMD New Delhi' and the payment for the same shall be made directly to the firm by IMD.

Following documents shall be submitted by the successful contractor:

- a) Three copies of supplier's invoice showing contract number, goods description, quantity, unit price and total amount.
- b) Consignee Receipt Certificate in original issued by the authorized representative of IMD.
- c) Copies of delivery Challan identifying contents of each package.
- d) Inspection certificate by the nominated Inspection agency, if any. Insurance Certificate.
- e) Final Acceptance Report from consignee.

f) Payment shall be made in lots as per site wise.

- i.** As a Make in India initiative, twenty percent (20%) of total contract value will be paid as advance payment against bank guarantee after issuance of supply order to support the bidder in design and manufacturing of high end engineering goods in India. The insurance document stating following conditions should be submitted by bidder

"Wherever necessary, the goods supplied under the contract, shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the contract. The amount to be covered under insurance shall be sufficient to take care of the overall expenditure to be incurred by the Procuring Entity for receiving the goods at the destination."

- ii.** Forty percent (40%) of total contract value of individual radar site will be paid after receipt of goods at site.
- iii.** Forty percent (40%) payment towards stores after successful installation, test runs, completion of training, commissioning and acceptance of the system at each site including the period of endurance test of individual radar site. Payment shall be made on site wise installation basis after

Wadman

Aspirin

the completion of work according to the above said 40-40 distribution.

b) Payment towards Comprehensive Annual Maintenance Contract Charges:

- i. IMD may enter into CAMC agreement along with the SLA with Contractor at the rates as stipulated in the contract, after warranty period of 03 years.
- ii. The payment of CAMC will be made after satisfactory completion on quarterly basis as per TENDER terms duly certified by IMD.
- iii. Contractor shall send its claim for payment in writing, when contractually due, along with relevant documents etc., duly signed by authorized signatory with date, to IMDs.
- iv. Bills/invoices shall be submitted separately for stores and services.
- v. The bidder shall submit particulars of his bank account required for making payments.
 - (a) Account Number (b) Bank Name (c) Branch Name
 - (d) Address (e) IFSC code (f) MICR No.
 - (g) Telephone No. (h) SWIFT code etc.

21. Termination of tender by IMD:

- a) From the time of submission of tender to the time of awarding the contract, if a bidder needs to contact IMD for any reason relating to this tender enquiry and/or its tender, it should do so only in writing.
- b) In case a bidder attempts to influence IMD in IMD's decision on scrutiny, comparison & evaluation of tenders and awarding the contract, the tender shall be liable for rejection in addition to appropriate administrative actions being taken against that bidder, as deemed fit by IMD.
- c) IMD, without prejudice to any other contractual rights and remedies available to it (IMD), may, by written notice of default sent to Contractor, terminate the contract in whole or in part, if Contractor fails to deliver any or all of the goods or fails to perform any other contractual obligation(s) within the time period specified in the contract, or within any extension thereof granted by IMD.
- d) In the event of IMD terminating the contract in whole or in part, IMD may procure goods and/or services similar to those cancelled, with such terms and conditions and in such manner as it deems fit and Contractor shall be liable to pay IMD for the extra expenditure, if any, incurred by IMD for arranging such procurement.
- e) If Contractor becomes bankrupt or otherwise insolvent, IMD reserves the right to terminate the contract at any time, by serving written notice to Contractor without any compensation, whatsoever, to Contractor, subject to further condition that such termination will not prejudice or affect the rights and remedies which have accrued and / or will

Handwritten signature

Digitally signed

accrue thereafter to IMD.

22. Arbitration:

- a) If dispute or difference of any kind shall arise between IMD and Contractor, the parties shall make every effort to resolve the same amicably by mutual consultation.
- b) If the parties fail to resolve their dispute or difference by such mutual consultation within twenty-one days of its occurrence, then, unless otherwise provided in "List of requirements/ technical specifications" section either IMD or Contractor may give notice to the other party of its intention to commence arbitration, as hereinafter provided the applicable arbitration procedure will be as per Indian Arbitration and Conciliation Act, 1996 as amended from time to time.
- c) In the case of a dispute or difference arising between IMD/ Consignee and all suppliers relating to any matter arising out of or connected with the contract, such dispute or difference shall be referred to the independent arbitrator appointed by the Director General of Meteorology.
- d) The award of the arbitrator shall be final and binding on the parties to the contract.
- e) Each party shall bear its own cost of arbitration.

23. Venue of Arbitration:

- a) The venue of arbitration shall be the place from where the contract has been issued, i.e., New Delhi.
- b) The contract shall be interpreted in accordance with the laws of India and jurisdiction shall be High Court of Delhi.

24. List of Deliverables:

- a) The bidder shall submit the final list of Deliverables as given at Annexure-VI for all the stores, Hardware, Software items, subunits etc and all other services which bidder is going to offer in their technical proposal to meet the requirements under "List of requirement & Technical specifications" of this tender document.
- b) The list of deliverables shall be same as submitted in the price bid.
- c) The price bid shall not be considered if it is not matching with the list of deliverables submitted with technical-commercial bid document.

Note: It is mandatory to mention the details of offered stores/ items.

25. Terms & Conditions of Comprehensive Annual Maintenance Contract (CAMC):

Handwritten signature

Signature

109332/2023/UAID DGMHQ

- a) The CAMC includes all equipment installed at each site, equipment installed at control center and inclusive of all computers, peripherals, printers, radar and equipment spares, components, cables, connectors etc and radar related materials like UPS, DG, Radome, Tower, etc.
- b) The removed/replaced defective material becomes the property of Contractor and shall be removed from site.
- c) The CAMC clause will be applicable for control center and equipment at individual radar sites.
- d) The CAMC will commence immediately after the expiry of the warranty period of 03 years.
- e) The comprehensive maintenance contract includes preventive and corrective maintenance and free replacement of all types of the defective parts/devices and consumables including oil and lubrication. Diesel for running DG sets will be provided by the department on as requirement basis.
- f) Contractor should submit a detailed CAMC plan including preventive maintenance schedule.
- g) The Contractor shall provide the details of its call center meant for booking the complaints along with the contact numbers like mobile nos., phone nos., mailing address and names etc of its service engineers.
- h) The radar shall be decommissioned for a period of two weeks for annual preventive maintenance and upkeep in a cyclic mode.
- i) The Contractor's engineers attending to the system are required to make all entries of their work done and corrective measures taken by them with their signatures in the log book kept with the Radar station.
- j) Overall uptime of the system shall be at least 85 days in a quarter of 90 days.
- k) If there is a failure of the system for more than the criteria stipulated in (j) above then **LD will be applicable** at the rate of 0.5% per day (calculated for CAMC value of that station) and part there of subject to maximum of 10% of CAMC charges for that quarter. Also, CAMC period will be extended by the time the system was under failure and no payment for the extended period for CAMC will be paid to the contractor.
- l) If the total failure duration (CONTINUOUS OR INTERMITTENT) extends beyond one month then the contract may be terminated at the discretion of competent authority of IMD and cost of its repair from alternate source will be recovered from the "Bidder" and performance security shall be forfeited.
- m) Maximum two weeks shutdown for annual maintenance shall not come under the clause.

*Handwritten signature**Digitally signed*

- n) Radar down time due to external factors and severe natural calamity beyond human control shall exempt the penalty criteria as in clause (k) above.
- o) Supplier shall deploy trained manpower at each site preferably Graduates in Engineering in Electrical/Electronics/Communication for operation and maintenance for round the clock support.
- p) Date of commencement of preventive maintenance period of the individual radars shall be fixed in consultation with IMD.
- q) The mode of payment will be quarterly and will be made after end of each quarter on the basis of satisfactory performance certificate from UAID, IMD at New Delhi.
- r) Contractor shall ensure IMD for regular backups of all the software.
- s) The Contractor is also required to restore the existing Software from the Backups whenever required.
- t) Contractor will also be responsible for configuring the networking components.
- u) CAMC contract will be signed with a validity period of seven years and renewed annually based on satisfactory performance. If required, contract may be extended by IMD. However, IMD reserves the right to terminate the contract at any time by giving three months' notice, if the performance of the system or the services rendered by Contractor is not found to be satisfactory.
- v) The Contractor has to submit an undertaking that it will not use IMD's data for any commercial purpose.
- w) Data of radar will not be copied or transmitted without permission from IMD.
- x) This contract shall be governed in all respects by Indian Laws.



CHAPTER-3

Schedule of requirements, specifications & allied technical details.

Special Conditions of Contract (SCC)

Supplier shall submit their bids for ten (10) numbers of X-Band Dual Polarization Doppler Weather Radars with Solid State Power Amplifier based transmitters.


1. GENERAL REQUIREMENT:

The specifications described herein refer to X-Band (9300-9500 MHz) Dual Polarized SSPA based Doppler Weather Radar including all peripherals, hereafter referred to as "The System". The System shall be capable of detecting and estimating meteorological parameters of severe weather phenomena that cause widespread damage to life and property.

- a) All the DWR systems to have following latest state of the art facilities for smooth operation of complete radar system and its accessories:
 - i. Diesel generator of minimum 15 KVA or suitable capacity required for continuous operation of entire DWR system including cooling system, along with minimum 100 L capacity fuel tank. Diesel generator shall have automated switching on and off feature in the event of normal electricity failure and resumption with AMF panel.
 - ii. Two online UPSs, in redundant mode and each with minimum capacity of 10KVA each or suitable capacity required for continuous operation of entire DWR system, along with separate battery banks. Each UPS should have at least 30 minutes power back-up and should be capable of taking the full load of radar.
 - iii. NTP clock based on GPS for system clock time synchronisation of the radar and the connected computers in the radar network.
 - iv. Communication hardware and accessories for data transfer to central location.
 - v. The system will have dual polarization capability by simultaneous transmission and receive in both linear Horizontal and Vertical polarizations.
 - vi. The system shall have user selectable Single polarization and Dual polarization mode of operation.



- vii. Latest state of art computer system shall be used for the generation of data and its processing.
- viii. The entire operation of the System shall be fully computer controlled and remotely manageable.
- ix. The tentative locations for installation of the systems are mentioned in Annexure-VIII.
- x. Installation of radar system will be on steel tower structure fabricated using hot dipped galvanized steel, at site. The standard of the steel and fasteners shall be certified for use in saline environment specified in Indian standard specification manual and specified explicitly. The specification shall meet minimum IS2062:2011 E250 Grade-C Steel for Channels and plates and IS1161:2014 & IS10748:2004 YST 310 grade steel for hollow pipes, IS1367 Grade 8.8 for fasteners from reputed manufacturers and their details also shall be submitted.
- xi. The tower structure shall be with height of 20m above the base or platform of the tower.
- xii. For evaluation of tender, cost of the tower will be considered.
- xiii. Appropriate cemented reinforced concrete base 60 cm thick shall be provided.
- xiv. The quoted software should be in use in any operational weather services in the world to fulfill the functional requirements along with capabilities which have been specified elsewhere in detail.
- xv. At the time of supply of the stores, the latest state of art computer system and latest version of software shall be provided for the generation of data and its processing, with OEM Licensed Version of Linux / Windows Operating System.
- xvi. All equipment shall be of industry standard so as to enable easy up-gradation and maintenance.
- xvii. Manufacturer shall submit the full details of the hardware, including model numbers and the software proposed to be employed for meeting the requirements given herein.
- xviii. Central server at Delhi for processing the radar data from all ten radars to be provided.



109332/2023/UAID DGMHQ

- xix. Facility for radar data analysis and products generation at each of the sites inclusive of automatic dissemination of warnings and alerts are to be provided by the bidder.
- xx. Display of data such as reflectivity, rainfall rate, horizontal winds at designated height, warnings etc., to be overlaid on GIS map.
- xxi. Web access to GIS based radar data display to be provided using web browsers such as Microsoft Internet Explorer, Firefox, Chrome etc.
- xxii. GIS based display should be accessible over the network through VPN or Internet.
- xxiii. The contractor has to clearly specify the way of achieving the sensitivity & detection capability (with ref. to OVERALL SYSTEM REQUIREMENTS) with supportive documents of claim and appropriate calculations for SSPA transmitters. The calculations for achieving the required operational characteristics such as scanning capabilities, maximum range, maximum velocity, sensitivity and clutter suppression have to be provided. Confirmation with supporting images, test printouts etc., are to be provided.
- xxiv. Lightning protection is to be provided for ensuring safety of the system and all tower mounted elements by way of grounding cable through ground bar or other best suited mechanism (grounding of tower shall be independent of grounding of its equipment and DG set).
- xxv. Surge Protection Device is to be provided at all the site.
- xxvi. The supplied DG Set, UPS etc., should have AMC service support facility in India.
- xxvii. IMD will take possession after appropriate test and evaluation meeting the specifications and accept the radar system after commissioning.
- xxviii. It is the responsibility of the bidder to bear all the expenditure to operate the radar including manpower requirements, security and all radar peripherals till successful acceptance and commissioning.
- xxix. Transportation from the factory to the site will be the responsibility of the vendor.
- xxx. The entire work of installation and commissioning of the radar has to be carried out by the contractor.
- xxxi. The network link between the systems and central server will be provided by IMD; however, the successful contractor shall



suggest suitable bandwidth for real time system control, monitoring and near real-time receipt of data at central locations for generating composite images and products of all the radars.

- b) The price bids of only technically qualified Bidders shall be opened for evaluation on a date notified after evaluation of the techno commercial bid.

IMD shall evaluate the price bids of technically qualified vendors for deciding lowest bidder (L-1) on the basis of total landed cost at site including cost of all the deliverables as per tender document and all prevailing taxes and duties and any other charges as demanded by the vendor.

2. OVERALL SYSTEM REQUIREMENTS:

IMD requires X-Band Dual Polarized Doppler Weather Radar Systems with SSPA based transmitter as mentioned in Table-1

TABLE-1: Technical Specification

General		
2.1	Range of observation	100 Km (Reflectivity) 100 Km (Velocity, Spectrum Width)
2.2	Range resolution	150 m or better
2.3	Max. Unambiguous Range	100km or better consistent with PRF & 2 nd trip echo.
2.4	Unambiguous Velocity	30 m/s or better with ambiguity resolver
2.5	Detection capability	13 dBZ or better at 100 km range
2.6	VSWR	1.25:1
2.7	Scan Time	10 elevation volume scan with all base moments acquired in 8 minutes or better
Transmitter		
2.8	Transmitter Type	Tunable frequency Solid State Power Amplifier based system
2.9	Frequency Range	9.3 GHz – 9.5 GHz
2.10	Transmitted power	Required to meet 13 dBz at 100 Km as per Point No.2.5.
2.11	Pulse repetition frequency	To meet Range and Velocity requirement as per Points No. 2.3 & 2.4
2.12	Pulse width	SSPA based system to meet the average power at variable pulse of transmissions at different carrier frequencies as per

Indran

Apita

		2.5
2.13	Transmitter Polarization	STAR
2.14	Modulator	Solid state
2.15	VSWR	1.25:1
Antenna, Radome Tower		
2.16	Antenna	Parabolic Dish Antenna
2.17	Side lobe	26dB down from the main lobe to 12° and beyond 12° better than 30dB.
2.18	Beam width	1° or better
2.19	Azimuth steering	360° with $\pm 0.05^\circ$ accuracy and 0-6 rpm
2.20	Vertical Steering	-2° to +92° or better with $\pm 0.05^\circ$ accuracy
2.21	Polarization	Horizontal, Vertical and STAR mode
2.22	Scanning rates	Up to 6 rpm
2.23	Scan strategy	Provision for automatic changeover between different scan strategies shall be possible.
2.24	Radome	<p>1). Type: Suitable Radome for antenna and its electronics Installed on galvanized steel Tower covering antenna dish and pedestal, with adequate space for maintenance personnel to enter and work.</p> <p>2). Transmission Loss: 0.35dB or better one way.</p>
2.25	Wind load	Up to 150 km/hr and in gusting condition up to 250 km/hr
2.26	Lightning Protection	Lightening rod with dual ground wires.
2.27	Surge Protection	Surge Protection Device is to be provided at the site wherever required.
2.28	Obstruction lights	Twin Light System with solar powered & auto switch with long life lamps. Roof hatch for maintenance of obstruction lights and entry from bottom; suitable portable ladder for the purpose of maintenance.
2.29	Tower height	20m (minimum & scalable) with quote for additional height for every 5 meters.
Receiver		

2.30	Type	Multichannel Digital receiver for Dual Polarization (H&V), STAR mode operation
2.31	Noise figure	3 dB or better
2.32	Linear dynamic range	95dB or better
2.33	Minimum Discernable Signal	-107dBm or better
Radar Signal Processor		
2.34	Doppler processing	Pulse Pair and FFT selectable
2.35	Clutter suppression	Clutter Elimination for >45 dB. The system shall have provision for identifying and filtering non-meteorological echoes such as anomalous propagation echoes, Sea clutters, bird/insects, chaffs, etc. based on polarimetric measurements.
2.36	Range Side lobe	Better than 35dB
2.37	Parameters to be measured and displayed	<p>(a) Reflectivity (Z_H)</p> <ul style="list-style-type: none"> Dynamic range: -30 to 65 dBZ Resolution: 0.1 dB <p>Accuracy: $\leq 1\text{dB}$ @ $\text{SNR} > 10\text{dB}$; $r < 100\text{Km}$; $\Delta r < 1\text{Km}$</p> <p>(b) Radial velocity (V_H)</p> <ul style="list-style-type: none"> Max: $\pm 30\text{m/s}$ Resolution: 0.1 m/s <p>Accuracy: $\leq 1\text{ m/s}$ @ $\text{SNR} > 10\text{dB}$; $\sigma_v = 4\text{ m/s}$; $r = 100\text{ Km}$; $\Delta r < 250\text{m}$</p> <p>(c) Spectrum Width (σ_H)</p> <ul style="list-style-type: none"> Max: $\pm 15\text{m/s}$ Resolution: 0.1 m/s <p>Accuracy: $\leq 2\text{ m/s}$ @ $\text{SNR} > 10\text{dB}$; $\sigma_v = 4\text{ m/s}$; $r = 100\text{ Km}$; $\Delta r < 250\text{m}$</p> <p>(d) Differential reflectivity (Z_{DR})</p> <ul style="list-style-type: none"> Dynamic range: -5 to 8 dBZ Resolution: 0.1 Db <p>Accuracy: $\leq 0.2\text{dB}$ @ $\text{SNR} > 10\text{dB}$; $r < 100\text{Km}$; $\Delta r < 1\text{Km}$</p> <p>(e) Differential phase (Φ_{DP})</p> <ul style="list-style-type: none"> Dynamic range: -180 to 180 deg Resolution: 0.1 deg <p>Accuracy: $\leq 2\text{deg}$ @ $\text{SNR} > 10\text{dB}$; $r < 100\text{Km}$; $\Delta r < 1\text{Km}$</p> <p>(f) Correlation Coefficient at zero lag (ρ_{HV})</p>

		<ul style="list-style-type: none"> • Dynamic range: 0 to 1 • Resolution: 0.005 Accuracy: $\leq 0.05 @ SNR > 10dB$; $r < 100Km$; $\Delta r < 1Km$
2.38	Calibration	<p>(I) Provision shall be made for programmable and auto run mode of internal calibration to ensure reliability of polarimetric parameters.</p> <p>(II) Calibration through external equipment and validation of receiver linearity and dynamic range using standard coherent source and standard measuring equipment. There should be a provision for automatic update of radar parameters.</p> <p>a) Receiver single point calibration in long and short pulse mode b) Transmitter peak power c) System noise figure</p>
2.39	Sun calibration	Sun calibration in both software driven and manual mode operation for pointing accuracy measurements. The system shall be made to point towards sun for establishing the gain and pointing accuracy of the antenna; stability and reliability of receiver chain using solar flux (sun) values known from other sources. Procedure shall be provided and to be demonstrated during SAT. Script based execution of such measurements and saving of results are expected as a part of such provision.
2.40	Base Parameters to be measured	<p>a. Reflectivity (Z), b. Radial velocity (V), c. Spectrum Width (σ), d. Differential reflectivity (Z_{DR}), e. Specific differential phase (K_{DP}), f. Differential phase (Φ_{DP}), g. Cross correlation Coefficient (ρ_{HV}) h. Linear Depolarization Ratio (L_{DR})</p>
2.41	Peripherals	a) Two Workstations (Main & Standby) of latest computer configuration at the time of delivery in terms of mother board chipset, Processor, processor speed, 128 GB RAM size and speed, Ethernet speed/USB speed, HDMI/VGA/DVI card memory and 4 TB hard disk storage with 32" (inches) full UHD resolution, color LED monitor. Both Workstations shall be used for operation, control of the radar; product generation and

		<p>display of the data and shall have Raid Storage of the data to avoid any loss of data.</p> <p>b) Two workstations of latest configuration at the time of delivery in terms of mother board chip-set, Processor, processor speed, 128 GB RAM size and speed, Ethernet speed/USB speed, HDMI/VGA/DVI card memory and hard disk storage processor with 32" (inches) full UHD resolution, color LED monitor. Both Workstations shall be used for networking/communication purpose.</p> <p>c) One portable computer (laptop) of latest version/ configuration capable of handling function of a) and b) above.</p> <p>d) One 55" (inches) UHD 4k LED display.</p> <p>e) Two desktop computer of latest configuration processor at the time of delivery for analysis of radar data products.</p> <p>f) NAS storage with RAID with archival for 05 years of base products as in 2.39.</p> <p>g) Provision for recording and playback of offline I&Q data.</p> <p>h) Provision for remote radar control, monitoring and operations.</p> <p>i) All software licenses shall be multiuser and open, within radar group without any restriction/hardware lock / soft-lock.</p>
Power Requirements		
2.42	Power	Capable of operating at 220 $\pm 10\%$ V, 50 $\pm 2\%$ Hz, in Single phase or 400 $\pm 10\%$ V, 50 $\pm 2\%$ Hz, with three phase AC supply.
2.43	Online UPS	Two UPSs, in redundant mode and each capacity of at least 10 KVA, on line type, to run the whole radar system for at least 60 minutes. Catering to required voltage stabilization with a power factor suitable for the radar system.
2.44	Diesel Generator	At least 15 KVA suitable Diesel Generator Set with AMF panel for automatic turn ON when mains fails and capable to takes up the load (of all the essential components and accessories of the Radar system required for operation). The DG set should

		be silent with a separate canopy for operations in all weather conditions.
2.45	Pre-fabricated cabin.	A well-furnished cabin of at least area 900 sq. feet is required to meet all operational requirements which includes operational room, Radar Officer room, UPS, stores, Kitchenette, microwave oven, Rest room/Washroom, along with ACs, water cooler, RO, furniture and separate outside canopy housing for D.G. set etc. to make it convenient for operational staff to work round the clock. The number of floors and dimensions of cabin may vary in size from site to site.

3. ARCHIVAL OF RADAR DATA:

- a. The base data which includes Reflectivity, Velocity, Spectrum Width and Dual Pol. Parameters (output of radar processor) shall be stored automatically on hard disk. Network Attached Storage on RAID 5 with adequate capacity based on SATA disk, to be provided for archival of Base Parameters data.
- b. A-4 size high resolution Ink tank Colour Printer (600dpi or higher) for taking hard copies of images and products shall be provided.
- c. External Blue ray DVD writer with 12 disks of dual layer blue ray DVD R/W and 50 disks of Blue Ray DVD/R at each site to be provided.
- d. Provision to record, store and offline playback for analysis of I&Q data.
- e. **While disposing the data disk (Hard Disk) it should be destroyed so that data cannot be retrieved. The Annual Maintenance Contract with service providers should include a clause that Hard Disk should be retained by the organization (IMD), even if it is faulty.**

4. DATA FORMATS:

4.1 Digital Data

- a) System should be capable of archiving of raw data (I & Q) and generating Polarimetric Doppler Weather Radar Base data and products in BUFR, NETCDF, GRIB2, HDF5, KML, KMZ formats and NEXRAD-Level II formats.




109332/2023/UAID DGMHQ

- b) Data should be converted from RAW, RAINFALL mm/hr, RAINFALL ACCUMULATED in mm, Horizontal winds at user selected levels in height, to Cartesian coordinates. Such data should also be available in HDF5, NetCDF.
- c) Stand-alone BUFR, NETCDF, HDF5, GRIB2, NexRAD-Level II encoding and decoding software on Licensed Linux/MS-WINDOWS platform should be provided. The software should be able to convert the radar data to formats as per user requirements and IMD specifications mentioned at 4.1(a) above.
- d) NetCDF format data shall be provided in NCAR CFRadial, and IMD-NetCDF format. Details of IMD-NetCDF format and BUFR-OPERA format file as required by IMD shall be provided to contractor for developing software applications.
- e) Existing central server system at IMD HQ, New Delhi is based on Vaisala (SIGMET) IRIS software for centrally generating various products including mosaic and various data formats from RAW data & data products. The contractor should provide necessary provision to ingest their radar data in a compatible format for use with already available central server at New Delhi.
- f) Data format if proprietary should be disclosed with decoding software codes.
- g) The contractor shall provide data format converter to convert Raw Data as well as products to ASCII.

4.2 Image data

The system should be capable of automatic generation of images in (JPEG, GIF, TIFF, PNG) format files for publishing on web site. Images should have high resolution for full HD displays and also for web pages. Following file naming conventions are to be implemented for automatic generation of images after completion of each volume scan.

- a) caz_stn.gif Max Z 100 km range
- b) ppz_stn.gif PPI Z 100 km
- c) ppi_stn.gif PPI Z 100 km
- d) ppv_stn.gif PPI V 100 km
- e) vp2_stn.gif VVP 40 km Range/ up to 10 km height
- f) sri_stn.gif SRI 100 km
- g) pac_stn.gif PAC 100 km accumulated rain for 24hrs

5. SOFTWARE FEATURES:

The radar system shall have required menu driven software with GUI controls for:




- a) Operating the radar.
- b) Setup of operational scan parameters.
- c) Configuration of weather products.
- d) Generation of alerts and warning,
- e) Setup of communication channels.
- f) Setup of display overlaid on map of India with political boundaries of international borders, states and district boundaries.
- g) Automatic calibration for antenna, receiver, dynamic range, etc.
- h) Monitoring the health of the radar using BITE.
- i) The process of setup/change of various scan parameters should be easily accessible to operators using GUI.
- j) Product generation.
- k) Product display.
- l) Generation of audio-visual warnings based on user defined thresholds for severe weather detection.
- m) Automatic transmission of warnings (visual and text) to users via communication channels.
- n) Facility to reprocess and display products from past data.
- o) Simultaneous display of data having more than one parameter.
- p) Requisite software protection for denying unauthorized access to be provided.
- q) The system shall perform optimized correction of reflectivity data for attenuation effects from heavy rain based on algorithm using polarimetric parameters such as ZDR, Φ_{DP} , K_{DP} and ρ_{HV} .

IMPORTANT NOTES:

I. The System shall be capable of generating the following products from the base data output from the radar signal processor. Algorithms and references for all the products listed below and supplied should be provided.

II. The licenses of all softwares being installed with the radar system shall be in the name of Director General of Meteorology,

Handwritten signature

Digitally signed

IMD or any competent authority and the details of all softwares used in the radar system should be mentioned.

5.1 Base Products

- a) Un-filtered I & Q data archival and playback facility to generate base products.
- b) The system shall generate base data comprising of Z, V, σ and Polarimetric products after applying different corrections to raw data (like attenuation effect due to precipitation, earth curvature, range normalization, beam blockage, interference due to external sources, non-meteorological echoes, second-trip recovery, ground reflection, bright band correction, etc.)
- c) Products are to be generated based on user defined parameters already selected and stored in workstation and NAS against the various scan schedules.
- d) Provision also should be available to generate all products in offline mode using the archived raw data.

5.2 Primary Products

5.2.1 Maximum Display (Z, V, σ)

The System shall compute and display maximum values of base data products (Z, V and σ) in horizontal (East West and North South) and vertical columns between users defined heights and also display the partial images in a single frame with side panel heights to a scale of 2km covering 0 -18 km.

5.2.2 PPI (Plan Position Indicator) (Z, V, σ)

The system should be capable of generating the PPI product for all types of raw data at user selectable elevation angles from lowest to highest elevation in the scheduled scanning procedure.

5.2.3 CAPPI (Constant Altitude Plan Position Indicator)

The System shall interpolate from the volume scan data set for a geo-horizontal plane at user vertical defined height and display the same pertaining to user selectable data form Z, V and σ from 1 km to 18 km height.

5.2.4 PCAPPI (PSEUDO CAPPI)

The system shall incorporate data form the highest elevation scan near the radar and from lowest elevation scan for areas far away from the radar for which radar beams are not intersected by user defined plane for CAPPI and display same pertaining to data selected by user (Z, V and σ) from 1 km to 18 km height.

5.2.5 VCUT (Vertical Cut)



109332/2023/UAID DGMHQ

The system shall interpolate all the base products (Z , V and σ) in any vertical plane passing through user defined two points and display the same for the user selectable parameters.

5.2.6 EBASE (ECHO BASE)

The system shall identify from the volume scan data the minimum height up to which the user defined threshold value for each base data exists and display them for user selectable data.

5.2.7 ETOP (ECHO TOP)

The system shall identify from the volume scan data the maximum height up to which the user defined threshold value for each base data exists and display them for user selectable data.

5.2.8 HAIL WARNING

Based on reliable hail warning algorithm, the system shall generate a hail warning symbol at the appropriate place in the PPI display in one or more of the operator chosen fields.

5.2.9 HYDROMETEOR CLASSIFICATION

The system shall be capable of generating a product for classification of hydrometeors based on Polarimetric parameters (Z_{DR} , Φ_{DP} , K_{DP} and ρ_{HV}). Provision for changing parameters in a scientific way for customization of the hydrometeor classification is a required. Hail detection based on this classification shall be one of the products in this class.

5.3 Derived Meteorological Products:

5.3.1 Velocity Products

The system shall generate and display following velocity products:

- a) Radial velocity versus the azimuth for a fixed elevation and a fixed slant range (VAD).
- b) Radial velocity at a fixed user defined range on height and azimuth angles (Radial velocity display for fixed range, azimuth angles for various height and azimuth).
- c) Horizontal wind velocity and wind direction using barbs in a vertical column above the radar site for different heights including divergence & convergence product. (VVP_1)
- d) The vertical Profile of the horizontal winds derived from the Radial Winds within 40 km range of radar and 10 km height using standard algorithm in the form of Wind Barbs showing wind speed and direction in the time series manner for a user selectable time duration (VVP_2)

- e) Horizontal wind vectors (UWT) using barbs at user defined layer height with or without underlay of reflectivity or velocity in PPI / CAPPI format.

5.3.2 Hydrological Products:

The system shall generate and display following hydrological products:

- a) Rainfall intensity using polarimetric moments as well as Z-R in a user selectable surface layer and constants with constant height above ground. Provision of specifying freezing layer height dynamically.
- b) Instantaneous estimation of water content (VIL) residing in a user defined atmosphere layer in the atmosphere to be displayed in PPI type of display.
- c) Precipitation accumulation (PAC) using polarimetric and Z-R in a user definable time period.
- d) Rainfall amount in user defined catchment basins for user defined time span.
- e) Provision for putting river basin map overlay as per user requirement.
- f) Rainfall intensity, rainfall rate and accumulation products shall have an option to be adjusted in real time by Rain Gauge, disdrometer data. Rain gauge and disdrometer data shall be displayed along with the radar data.
- g) Adjustment of rainfall rate by appropriate rain gauge or disdrometer data shall be possible.
- h) The system shall convert data of reflectivity and polarimetric measurement to horizontal maps of rainfall intensity.
- i) The system shall be capable of generating precise rain rate information using combination of polarimetric parameters as well as Z(h)
- j) The system shall use algorithm based on polarimetric parameters for correcting rain rate estimation errors arising out of hail, non-meteorological echoes and attenuation.

5.3.3 Aviation Products

- a) The system shall evaluate derivatives of wind velocity in radial, azimuth, elevation, North South, East West directions and derive horizontal, vertical and three-dimensional shears

hammer

Apita

- b) The system shall also be able to generate warning product on microburst, and wind shears beyond adaptable threshold levels.
- c) The system shall evaluate maximum turbulence within user defined atmospheric layer and display in top view.

5.3.4 Warning and Forecasting Products: -

- a) System shall generate and display warning symbols for thunderstorm, hail storm, dust storm, meso-cyclone, convergence, divergence and gust fronts.
- b) System shall be capable of evaluating speed and direction of movement of weather systems.
- c) System shall also be capable of warning if any of the conditions defined by the user are reached or fulfilled on reflectivity, velocity, VIL, rainfall intensity, rainfall accumulation and wind shear.
- d) System shall be able to detect tornado and gust fronts associated with storms and issue visual and text warning message.

5.4 Alphanumeric Products

The system shall also be able to provide all the product data (i.e., base, primary and derived) in ASCII tabular form.

6. Built In Test Equipment (BITE).

A modern system making use of latest technology for continuous monitoring of the operational status of hardware and software functions and utilities of the radar system shall be supplied.

- a) BITE processor shall measure and process a number of real time analog and digital parameters in the radar system and generate and display the error message whenever their value falls outside the specified permissible range.
- b) BITE processor shall continuously monitor input and output signals of every module/PCB for any deviation from the standard values.
- c) Audio alarm indication for occurrences of faults is to be provided.
- d) Centralized monitoring of status of radars networked.

Handwritten signature

Digitally signed

7. Provision for Networking & Communication system for data transfer to central location:

- a) Provision shall be made with suitable communication hardware & software for real time transfer of digital radar data and images generated in real time through networking to control and monitoring centre and central server at IMD HQ, New Delhi.
- b) All networking components required at radar site as well as command and control centre shall be provided by contractor.
- c) Necessary interface shall be provided for sending radar data through GSM, VPN and internet.
- d) The control centre should be able to monitor and control the functions of the radar at all ten sites. Data from respective radars under each site will be utilized for real time display facility for monitoring the health parameters as well as the weather data acquired by radars in operational mode.
- e) The communication link will be provided by IMD. contractor shall specify the bandwidth requirement.
- f) Deliverables for control and command centre are to be provided as per Annexure-VI.
- g) The radar data is to be converted in a compatible format for use with already available central server of the existing Doppler weather radar network of IMD based on IRIS (SIGMET) software of M/S Vaisala.
- h) Boundary of states will be provided by IMD as shape files. Data of all radars to be overlayed on GIS map with option to include underlay maps from Google, Open Street map or ESRI, Arc GIS, etc. GIS server with Open Street map to be provided.

The Products which are to be overlayed are:

- Reflectivity
- Rainfall
- Warnings based on Rainfall, Velocity, Hydrometeor Classification.

8. INSTALLATION:

All installation related work including civil work shall be carried out by contractor. However, IMD personnel shall be associated with the installation process. All installation materials required shall be supplied by the successful contractor.

Indranil

Apita

- a) The contractor shall take into consideration that the system is required to be installed on site on a Galvanized Steel Tower mounted on appropriate cement reinforced concrete base 60 cm thick with nominal height of 20 m upon which radar antenna and radome shall be mounted. Towers should be able to take the dynamic load of the radar system and its accessories while in operation, (with due consideration for the gusty wind load) and shall be erected by the contractor.
- b) Walk/inspection space of about a meter width all around the radome base with a safety railing of 1.5m height is to be provided for servicing of Radome. The railings should not degrade the signals of the radar during regular operations.
- c) The entire responsibility of civil construction/site preparedness for installation of the radar and its peripherals shall be the responsibility of the contractor.
- d) Pre-requisite for both civil & electrical requirements for installation of radar shall be clearly mentioned separately, inclusive of suitable diagrams of antenna & radome installations, along with the technical bid.
- e) The required number of electrical earthing based on latest technology i.e., Chemical Gel earthing is required for various peripherals inclusive of radar, has to be provided by the contractor.
- f) Suitable Lightning Arresters for protecting the radar with reliable lightning protection system with deep chemical gel and copper plate-based earth pit shall be carried out by the contractor. The earth resistance shall be tested.
- g) Surge Protection Device is to be provided at the site wherever required.
- h) Aviation warning indicator lamps shall be supplied and installed by the contractor on the top of the antenna/radome at appropriate height.
- i) All other requirements such as power and communication facility etc. will be arranged by contractor for enabling tower construction and installation/ commissioning of radars of each respective site. However, after installation /commissioning of the radar systems at each respective site IMD will arrange the power and communication facility etc. for operational requirement.
- j) IMD shall not facilitate the accommodation and transportation arrangements for the personnel of the installation team of the contractor.



9. LOCATION:

List of tentative sites for installation of Radars is attached vide at Annexure-VIII.

10. TESTING AND ACCEPTANCE:


- a) The successful contractor shall submit detailed testing plans for Factory Acceptance Testing (FAT) prior to shipment and Site Acceptance Test (SAT) at site for system acceptance. The test plan shall require concurrence of IMD.
- b) During the FAT, cost of travel, per diem charges and charges for boarding/lodging etc. for IMD personnel will be borne by IMD, Government of India.
- c) The objective of the tests shall be the verification of performance of the system as per the specifications and functional requirements as per TENDER DOCUMENT.
- d) As per the mutually agreed test procedures, FAT shall be carried out at the factory premises prior to shipment. The equipment shall be shipped only after satisfactory conclusion and acceptance of the pre-shipment acceptance testing (FAT).
- e) As per the mutually agreed test procedures, acceptance test should be carried out at each radar site after installation. The contractor shall arrange for necessary test equipment, man-power etc.
- f) Any defect/ deviation noticed during the site acceptance tests shall be rectified within a maximum period of one month from the completion of the tests. After such rectification, the tests shall be repeated to verify the rectification.
- g) Within 30 days of installation of each system, the contractor should secure acceptance of the radar and its peripherals as a whole system.

11. SYSTEM COMMISSIONING:

After satisfactory completion of the site acceptance tests, the contractor shall demonstrate the reliabilities and capability of the system to be operated continuously and satisfactorily for a period of 15 days endurance test of the complete radar system, after which it will be said to be "**Commissioned**".

12. WARRANTY:

- a) Warranty shall remain valid for three years after the system has been commissioned and accepted by the purchaser as per



109332/2023/UAID DGMHQ

terms of the contract. The warranty shall also include all third party bought out items / subsystems including Tower, Computers, Generator Set and UPS, etc. OEM certification of warranty for the third party items is to be provided. They shall also be included in the overall performance of the system.

- b) This warranty clause is applicable at all individual radar sites.
- c) Upon receipt of notice about faults, the contractor shall repair or replace the defective goods or parts thereof, free of cost, at the site within 03 days.
- d) The contractor shall take over the replaced parts/ goods after providing their replacements and no claim, whatsoever shall lie on the purchaser for such replaced parts/ goods thereafter.
- e) The contractor shall supply the software updates, if any, during the warranty and CAMC period, free of cost.
- f) Contractor shall ensure 95% of 365 days annual-uptime.
- g) If the contractor, does not meet the 95% annual-uptime (calculated Quarterly at the time of payments) and there is a failure of the system for more than the criteria stipulated, then a penalty amount of 0.1% of the total equipment cost per day for that radar, for days it is down, will be deducted from the performance guarantee amount, subject to an upper ceiling of 10% of the total equipment cost. Furthermore the purchaser may proceed to take such remedial action(s) as deemed fit by the purchaser, at the risk and expense of the contractor and without prejudice to other contractual rights and remedies, which the purchaser may have against the contractor.
- h) Maximum two weeks shutdown for Annual maintenance shall not come under the clause. Delay due to external factors and natural calamity beyond human control will be exempted.
- i) During warranty period, the contractor is required to visit consignee's site at least once in three months commencing from the date of acceptance at site for preventive maintenance, calibration and various types of checks of the goods/ equipment and a detailed report consisting of all test procedure values etc. must be submitted at Upper Air Instrument Division (UAID), India Meteorological Department, New Delhi along with satisfactory certification by the UAID (IMD).

13. TRAINING:

- a) The contractor shall provide factory training in operation, maintenance, calibration and fault identification of the radar system along with modification & up-gradation in




109332/2023/UAID DGMHQ

- application software to 4 persons from IMD for a period of 3 weeks.
- b) During factory training, cost of travel, per diem charges and charges for boarding/lodging for IMD personnel will be borne by IMD, Government of India.
 - c) The training shall also include lectures on the system design, computer hardware/software, operation and such other aspects which are considered essential for optimum utilization of the radar system. The training material will be documented and handed over to the trainees.
 - d) Onsite training in operations and first level fault identification to be provided for a period of five working days at site.

14. DOCUMENTATION:

- a) The contractor shall furnish two copies of the following documentation in well-bound sets/volumes of good print quality for each radar site and two copies of the same to Radar Unit, UAID, New Delhi:
 - i. Soft copy of all the manuals should also be provided along with hard copy.
 - ii. All standard manuals, technical data sheets and other pertinent information of functional, electrical and mechanical modules used in the System shall be included in the manuals.
 - iii. Interface connectivity document has to be provided for hardware as well as software interfaces.
 - iv. Detailed documentation of all the proprietary data formats, bit-by-bit information on the header and data patterns should be provided.
 - v. Free updates made to firmware, processing software and clarifications should also be supplied with relevant documentation during the period of warranty and CAMC thereof.
 - vi. The system functional block diagram shall be laid out so that a user can readily understand and identify the major functions of the system.
 - vii. The operating instructions shall include routine procedures, safety and emergency procedures as applicable. These instructions shall include switch-on, standby, normal operating procedures and switch off procedures. The sequence of turn-on procedures shall be optimized and shall account for controls at different

*Indum**Apita*

physical locations. The instructions shall provide assistance to an operator to use the System for optimum performance.

- viii. Sufficient illustrations shall be included to identify and locate all operating controls and indicating devices.
- ix. Layout and Schematic Assembly Drawings: Schematic Diagrams of all assemblies, modules shall be provided.
- x. Parts List: Detailed parts list with part numbers shall be provided.
- xi. Algorithm of Products: The algorithms used in product generation shall be supplied.

b) It shall be the responsibility of the contractor to provide detailed parts list of modules sourced. List of items imported and incorporated in the system should also be provided separately. Only such items may be used in the system whose technical details are made available by the manufacturer.

15. DELIVERY SCHEDULE:

First radar shall be delivered (Delivery at Place) installed, accepted and commissioned within 08 months from the date of issue of Supply Order. Rest of the radar systems shall be delivered (Delivery at Place), installed and commissioned within 18 months from the date of issue of Supply Order in a phased manner. In this regard the contractor will submit the actual schedule along with time line for execution of installation and commissioning work for each radar.

16. Penalty clause/Liquidated damages clause (LD) for delayed stores & Services:

The contractor shall deliver the goods and perform the services (delivery, installation, acceptance and commissioning) under the contract within the time schedule specified by the purchaser in the "Chapter-3/ technical specifications" section and as incorporated in the contract agreement. The LD will be imposed if delivery schedule is not met as per Clause No. 15 of Chapter 3, at the rate of 0.5 % per week of delay or part thereof on delayed supply of goods and/or delayed services in deviation to the milestone in Delivery Schedule, mentioned elsewhere in the document, subject to a maximum of 10% of the total contract value of each radar. However, the total LD shall not exceed 10% (Ten) percent of the value of the total contract value.




17. COMPLIANCE STATEMENT:

- a) The contractor shall submit detail para-wise compliance statement as per Annexure--XII format mentioning full details with reference Para, Clause and page no. Of the bid for each parameter along with reasons for compliance/ non-compliance, if any.
- b) The contractor shall also submit the details of references, reports etc. for each compliance giving name of technical manual, chapter number, page number and para and shall provide a copy of referred documents along with the technical bid.
- c) Silence on any para or simply making a statement 'complied' without proper justification or reference will be considered as non-compliance.
- d) All the claims with respect to any specification shall be supported by document along with bid document otherwise same may be treated as non-compliance.
- e) Compliance matrix should be filled in at all points of TENDER DOCUMENT individually.
- f) All pages should be signed.

18. COMPREHENSIVE ANNUAL MAINTENANCE CONTRACT (CAMC) :

- a) The contractor shall quote for CAMC for seven years subsequent to completion of warranty period of three years from the date of commissioning of individual radar.
- b) The contractor shall submit year wise lump sum amount of CAMC charges.
- c) The amount charged for CAMC shall not be quoted as percentage of the tender cost / cost of equipment.
- d) The CAMC charges shall be included for price comparison. The terms & conditions for the CAMC are enclosed at Annexure-V.




CHAPTER-4**PRICE SCHEDULE**

(Financial Bid format)

S. No.	Name of item/store	Qty.	Country of Origin	Model number / country of origin	Base price	Applicable taxes & duties	Unit price	Total price
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	X-Band dual polarized SSPA based Doppler Weather Radar system including all units/sub units and accessories as follows:	10 Sets						
1	Transmitter	10						
2	Receiver	10						
3	Antenna control unit and Radar control unit	10						
4	Radar signal processor	10						
5	Radome, Antenna & Antenna Pedestal	10						
6	Peripherals at 10 sites as per detail at 2.40, Page No.36	10						
7	Radar Application and Operating Software	10						
8	Peripherals as per detail at 2.40, Page No.36 for one central server at	1						




	Delhi.							
9	Server with WebGIS at 10 sites & 1 at control center	11						
10	Equipment Shelter	10						
11	Tower	10						
12	Acceptance testing (Site)	10						
13	Installation	10						
14	Services	10						
15	Products (Software)	10						
16	Any other unit/subunits / item not listed above but required for functioning of DWR shall also be included	10						
17	Installation material	10						
18	Documentation both hard copy and soft copy	22						
19	Communication hardware/ software for data transfer to control center location.	11						
20	Training to IMD personnel at each site after	10						

	completion of installation / commissioning for five working days. Note: Expenses for trainees such as airfare, lodging and per diem to be borne by IMD							
21	Training to IMD personnel at factory for three weeks. Note: Expenses for trainees such as airfare, lodging and per diem to be borne by IMD	1						
22	7 years (Year - wise) comprehensive Annual Maintenance Contract (CAMC) (for all radar sites and central servers) after the expiry of 3 years warranty period	10						
	1 st Year CAMC							
	2 nd Year CAMC							
	3 rd Year CAMC							
	4 th Year CAMC							

	5 th Year CAMC							
	6 th Year CAMC							
	7 th Year CAMC							
23	Towers for installation inclusive of all civil works	10						
24	Two UPSSs each of minimum 10 KVA capacity or as per system requirement.	10						
25	Enclosure with appropriate cooling (Pt. 2.45, Page No. 42)	10						
26	Diesel generator of 15 KVA (minimum) or as per the system requirement.	10						
27	Additional tower height (per 5 meters)	10						

Total Tender price in figure:

Total Tender price in words:

Indurmar

Supita

NOTE/INSTRUCTION

1. The contractor shall use its own letter head for quoting the prices. Document should be signed and stamped on all the pages.
2. Price shall be preferred in the format for deliverables for stores & services as given at Annexure VI.
3. The name of each store/item offered in technical proposal must be mentioned with make & Model including services etc if any. The deliverables list attached with financial bid must be exactly same as per the technical bids.
4. Charges, if any, for inland (within India) Transportation /freight/insurance of stores shall be mentioned. In case not mentioned, it is treated as free of cost.
5. If there is a discrepancy between the unit price and total price THE UNIT PRICE shall prevail.
6. All applicable taxes must be mentioned against each item. Rate of each applicable tax must be mentioned in price bid. If taxes not mentioned, it is treated that price quoted is inclusive of taxes.
7. Costing for each and every items and sub items which is offered in technical bid shall be given as per details and specifications given in the schedule. Charges for FAT, training, installation, SAT and other services etc. are to be mentioned clearly in price bid.
8. Price Bid (in **.pdf format** excluding note/instruction) shall be uploaded on eprocure.gov.in

Signature of contractor

Seal of the contractor



CHAPTER-5**OTHER STANDARD FORMS****Annexure-I****CHECKLIST**

S. No	Activity	Compliance Yes/ No/ NA	Page& Para No. of the bid Document
1.	Is Registration certificate of the Indian Bidder with any state or central government body of India attached with technical bid?		
2.	Is Earnest Money Deposit (EMD) (Bank Guarantee /FDR) of required amount enclosed ? (as per Annexure-III)		
3.	Is the EMD submitted by the Bidder other than participating Bidder? If yes, then bid is likely to be rejected.		
4.	Bid Security Declaration submitted by the bidder? (as per Annexure XV)		
5.	Is Registration certificate from NSIC/Government bodies on SSI attached for relaxation of EMD?		
6.	Is validity of EMD kept for 240 days?		
7.	Is the validity of bid as per the TE document?		
8.	Is the Tender Terms & Conditions Acceptance Form duly filled and signed (i.e. terms and conditions are acceptable)? (as per Annexure-II)		
9.	Is the bid signed?(Tenders is liable to be rejected if not signed)		
10.	Is the clause-by-clause compliance statement for the "List of requirements/ technical specifications" section enclosed? Compliance matrix indicating point wise compliance to all the points of tender document. Each point needs to be complied and single statement for all the points will not be agreed to.		
11.	Is the copy of the last purchase order(s) and end user Certificate enclosed?		
12.	Is tender Submitted by an Indian Original Equipment Manufacturer (IOEM)?		
13.	Is tender submitted by a Foreign Original		

*Wadman**Aspirin*

	Equipment Manufacturer?		
14.	Whether Back-to-back support agreement with equipment manufacturer and software developer company attached?		
15.	Whether Permanent Account No. of Bidder with proof is provided.		
16.	Is sales & service tax number/GST with registration certificate attached?		
17.	Name of the Bidder who quoted the price?		
18.	Name of tender currency?		
19.	Name of the bidder with complete address to whom supply order is to be Placed?		
20.	Whether un-priced bid similar to price bid with price hidden as per Chapter-4 is enclosed?		
21.	Whether Signed Integrity Pact document as per enclosed format is attached?		
22.	Whether the proforma for performance Statement with documentary proof as per Annexure-VII is enclosed?		
23.	Whether insurance document for advance payment submitted by bidder?		
24.	Whether bank guarantee format for advance payment enclosed?		

(Name & Signature with date and Bidder/company seal)

Indur

Apita

TENDER TERMS & CONDITIONS ACCEPTANCE FORM
(All the terms & conditions of tender document are acceptable to tenderer)

To,
The Director General of Meteorology,
India Meteorological Department,
Lodi Road, New Delhi-110003

Ref: Tender Enquiry (TE) Document No. CPU/ --- dated: -----

I/We, the undersigned have examined the above mentioned TE document, including amendment/corrigendum No. ,.....dated.....(if any), the receipt of which is hereby confirmed. We now offer to supply and deliver the goods and services in conformity with your above referred document. If our tender is accepted, we undertake to supply the goods and perform the services (Installation & commissioning etc.) as mentioned in tender document with-in the delivery schedule specified in the "TENDER DOCUMENT- Chapter-3/ technical specifications".

I/We further confirm that, if supply / purchase order is placed to our firm, we shall provide performance security of required amount in an acceptable form for due performance of the contract within the scheduled time.

I/ We agree to keep our tender valid for acceptance as required in tender document or for subsequently extended period, if any, agreed to by us.

I/ We also accordingly confirm to abide by this tender up to the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period.

I/We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

I/ We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry. (Signature with date and seal of the company)

I/We are not involved in any litigation that may have an impact of affecting or compromising the delivery of services as required under this assignment.

I/We confirm that we have not been deregistered/banned/blacklisted by any Central/ State Government/ agency of Central/ State Government of India or any other country in the world/ Public Sector Undertaking/ any Regulatory Authority in India or any other

109332/2023/UAID DGMHQ

country in the world for any kind of fraudulent activities on the date of submission of bids.

I/ We confirm that we fully accept and agree to all the terms and conditions specified in above mentioned TE document, including amendment/ corrigendum etc. if any.

(Name and designation)

Duly authorised to sign tender for and on behalf of tenderer

Note*:

1. Bidder/company shall use their own printed letter head for issuing this certificate.
2. Acceptance shall be unconditional.



MODEL BANK GUARANTEE FORMAT FOR FURNISHING EMD

(Format only)

Whereas
 (hereinafter called the "tenderer")
 has submitted their offer dated
 for the supply of
 (hereinafter called the "tender")
 Against IMD's tender enquiry No
 KNOW ALL MEN by these presents that WE
 of " having our registered office at

 are bound into (hereinafter called the "Purchaser")
 in the sum of
 for which payment will and truly to be made to the said Purchaser, the
 Bank binds itself, its successors and assigns by these presents. Sealed
 with the Common Seal of the said Bank this day 20 .
 THE CONDITIONS OF THIS OBLIGATION ARE:

- (1) If the tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of this tender.
- (2) If the tenderer having been notified of the acceptance of his tender by IMD during the period of its validity:-
 - If the tenderer fails to furnish the Performance Security for the due performance of the contract.
 - Fails or refuses to accept/execute the contract.

We undertake to pay the "Director General of Meteorology, India Meteorological Department", up to above amount upon receipt of its first written demand, without IMD having to substantiate demand, provided that in its demand IMD will note that the amount claimed by it is due to owing to the occurrence of one or both the two conditions, specifying the occurred condition / conditions.

This guarantee will remain in force up to and including 180 days or after the finalisation of tender any demand in respect thereof should reach the Bank not later than the above date.

Bank Guarantee issued with the tender enquiry reference No. CPU/..... Dated

(Signature of the authorized officer of the Bank)

Name and designation of the officer

Seal, name & address of the Bank and address of the Branch

Insurer

Apita

BANK GUARANTEE MODEL FORMAT FOR PERFORMANCE SECURITY

To,
The President of India

Through:-

Director General of Meteorology,
India Meteorological Department,
Lodi Road, New Delhi-110003

WHEREAS _____ (Name and address of contractor) (Hereinafter called "contractor") has undertaken, in pursuance of contract no _____ dated _____ to supply (description of goods and services) (herein after called "the contract").

AND WHEREAS it has been stipulated by you in the said contract that contractor shall furnish you with a bank guarantee by a Nationalized bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the contract;


AND WHEREAS we have agreed to give contractor such a bank guarantee;

NOW THEREFORE we hereby contractor that we are guarantors and responsible to you, on behalf of contractor, up to a total of.

_____ (Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring contractor to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from contractor before presenting us with the demand. We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and contractor shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid up to and including the _____ day of _____, 20____

(Signature with date of the authorized officer of the Bank)

Name and designation of the officer

Seal, name & address of the Bank and address of the Branch

W. S. S. S. S.

Apita

Annexure-V**Terms & Conditions of Comprehensive Annual Maintenance Contract (CAMC) of X-Band Dual Polarized Doppler Weather Radars**

1. The CAMC includes Control Center and Radar Site Material & Services inclusive of all Computer peripherals, Printers, Radar modules, spares, components, cables, connectors etc and radar related materials like UPS, DG, Radome, Tower, etc. and the removed/replaced defective material becomes the property of "Successful contractor".
2. The CAMC clause will be applicable for control center and individual radar sites separately.
3. The CAMC will commence immediately after the expiry of the warranty period. The comprehensive service includes preventive and corrective maintenance and free replacement of all the defective parts/devices. The company should submit a detailed CAMC plan including preventive maintenance schedule.
4. The Contractor shall supply the details of its call centers meant for booking the complaints along with the contact numbers like mobile nos., phone nos., mail address and names etc of its service engineers.
5. The radar shall be decommissioned for a period of two weeks only for annual preventive maintenance and upkeep in a cyclic mode.
6. The Contractor's engineers attending to the system are required to make all entries of their work done and corrective measures taken by them with their signatures in the log book kept with the Radar.
7. Overall uptime of the system shall be at least 95%. If there is a failure of the system for more than the criteria stipulated then the CAMC amount of 0.5% per day, for days it is down will be deducted, subjective to an upper ceiling of 10% of CAMC charges for that quarter. Also CAMC period will be extended by the time the system was under failure and no payment for the extended period for CAMC will be paid to the contractor. If the failure duration extends beyond one month then the contract may be terminated and cost of its repair from alternate source will be recovered from the Contractor and performance security may be forfeited. Maximum two weeks shutdown for annual maintenance shall not come under the clause. Radar down time due to external factors and severe natural calamity beyond human control shall exempt the criteria.


*Indran**Apita*

8. Successful Contractor shall ensure 95% uptime by supportive manpower if found necessary.
9. Date of commencement of Annual Maintenance Period of the individual radars shall be fixed by IMD.
10. The mode of payment will be quarterly and will be made after end of each quarter on the basis of satisfactory performance certificate from user.
11. "Successful contractor" will assist IMD for regular backups of all the software. The Contractor is also required to restore the existing Software from the Backups whenever required.
12. Contractor will also be responsible for configuring the networking components.
13. CAMC contract will be signed for seven years. If required, contract may be extended by IMD. However, IMD reserves the right to terminate the contract at any time by giving three months' notice, if the performance of the system or the services rendered by the contractor is not found satisfactory.
14. The contractor has to submit an undertaking that it will not use IMD data for any commercial purpose.
15. This contract shall be governed in all respects by Indian Laws.

(Signature of the authorized officer of the Successful contractor)

Seal, name & address of the Successful contractor

Name and designation of the officer



FORMAT FOR DELIVERABLES FOR SUPPLY OF TEN (10) NOS. SSPA BASED X-BAND DUAL POLARIZED DOPPLER WEATHER RADARS

S. No.	Items Description	Qty.	Model & country of origin	Cost per unit	Applicable taxes & duties	Total cost
	X-Band dual polarized SSPA based Doppler Weather Radar system including all units/sub units and accessories as follows:	10 Sets				
1	Transmitter	10				
2	Receiver	10				
3	Antenna control unit and Radar control unit	10				
4	Radar signal processor	10				
5	Radome, Antenna & Antenna Pedestal	10				
6	Peripherals at 10 sites as per detail at 2.40, Page No.36	10				
7	Radar Application and Operating Software	10				
8	Peripherals as per detail at 2.40, Page No.36 for one central server at Delhi.	1				
9	Server with WebGIS at 10 sites & 1 at control center	11				
10	Equipment Shelter	10				
11	Tower	10				
12	Acceptance testing (Site)	10				
13	Installation	10				
14	Services	10				
15	Products (Software)	10				

16	Any other unit/subunits/ item not listed above but required for functioning of DWR shall also be included	10				
----	---	----	--	--	--	--

17	Installation material	10				
18	Documentation both hard copy and soft copy	22				
19	Communication hardware/ software for data transfer to control center location.	11				
20	Training to IMD personnel at each site after completion of installation / commissioning for five working days. Note: Expenses for trainees such as airfare, lodging and per diem to be borne by IMD	10				
21	Training to IMD personnel at factory for three weeks. Note: Expenses for trainees such as airfare, lodging and per diem to be borne by IMD	1				
22	7 years (Year - wise) comprehensive Annual Maintenance Contract (CAMC) (for all radar sites and central servers) after the expiry of 3 years warranty period	10				
	1 st Year CAMC					
	2 nd Year CAMC					
	3 rd Year CAMC					
	4 th Year CAMC					
	5 th Year CAMC					
	6 th Year CAMC					
	7 th Year CAMC					
23	Towers for installation inclusive of all civil works	10				
24	Two UPSs each of minimum 10 KVA capacity or as per	10				

	system requirement.					
25	Enclosure with appropriate cooling (Pt. 2.44, Page No. 38)	10				
26	Diesel generator of 15 KVA (minimum) or as per the system requirement.	10				
Other optional items						
27	Additional tower cost (per 5 meters)	10				

***Note:**

- Since the date of installation and commissioning of each individual Radar may be different, the rate for deciding cost of CAMC per site shall be decided on pro rata basis based on overall cost of CAMC per month divided by the number of Radars.
- **No extra cost will be paid for initial three years warranty.**
- All the above items are to be supplied in quantities shown above. However, if a particular item is combined with another item the fact may be so stated against that item without dropping it.
- If a particular item is not used in the radar system it may be so stated against that item.
- If an item equivalent to the listed items is used in the radar, details of same may be stated against that item.
- Successful Contractor shall also include any other recommended spares (one each) specific to their radar system and identified as critical item. No additional cost shall be paid for such extra item.

(Signature of the authorized officer of the contractor)

Seal, name & address of the contractor

Name and designation of the officer

Indranil

Aspirita

PROFORMA FOR PERFORMANCE STATEMENT

Bid No.

Date of Opening.....Time.....Hours.....

Name of the successful contractor.....

Order placed by (Full address of Organisation)	Order No. and date	Description and quantity of ordered equipment	Value of order	Date of completion of delivery as per contract actual	Remarks including reason for late delivery, if any	Has the equipment been satisfactorily functioning?

Signature of the authorized officer of the Successful Contractor

Name and designation of the officer

Seal, name & address of the Bidding Contractor




**List of tentative locations for installation of ten
(10) X-Band Doppler Weather Radars**

S.No.	Name of the stations.
1.	Pune
2.	Varanasi
3.	Kolkata
4.	Kozikhode
5.	Bhubaneshwar
6.	Purnea
7.	Lucknow
8.	Azamgarh
9.	Jhansi
10.	Aligarh

Indravar

Apita

INTEGRITY PACT

Between

India Meteorological Department, Ministry of Earth Sciences, Govt of India hereinafter referred to as "The Principal", and

 hereinafter referred to as "The Bidder/ Contractor".

Preamble

The Principal intends to award, under laid down organizational procedures, contract/s for..... The Principal values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness / transparency in its relations with its Bidder(s) and / or Contractor(s).

In order to achieve these goals, the Principal will appoint Independent External Monitors (IEMs) who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

Section 1- Commitments of the Principal


(1) The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:

a. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.

b. The Principal will, during the tender process treat all Bidder(s) with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the tender process or the contract execution.

c. The Principal will exclude from the process all known prejudiced persons.

(2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the IPC/PC Act, or if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officer and in addition can initiate disciplinary actions.

Section 2 - Commitments of the Bidder(s)/ Contractor(s)

(1) The Bidder(s)/ Contractor(s) commit themselves to take all measures necessary to prevent corruption. The Bidder(s)/ Contractor(s) commit themselves to observe the following principles during participation in the tender process and during the contract execution.

a. The Bidder(s)/ Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.

b. The Bidder(s)/ Contractor(s) will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelisation in the bidding process.

c. The Bidder(s)/ Contractor(s) will not commit any offence under the relevant IPC/PC Act; further the Bidder(s)/ Contractor(s) will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

d. The Bidder(s)/Contractors(s) of foreign origin shall disclose the name and address of the Agents/representatives in India, if any, similarly the Bidder(s)/Contractors(s) of Indian Nationality shall furnish the name and address of the foreign principals, if any. Further details as mentioned in the "Guidelines on Indian Agents of Foreign Suppliers" shall be disclosed by the Bidder(s)/Contractor(s). Further, as mentioned in the Guidelines all the payments made to the Indian agent/representative have to be in Indian Rupees only. Copy of the "Guidelines on Indian Agents of Foreign Suppliers" is placed at (page nos. 6-7).

e. The Bidder(s)/ Contractor(s) will, when presenting their bid, disclose any and all payments made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.

f. Bidder(s) / Contractor(s) who have signed the Integrity Pact shall not approach the Courts while representing the matter to IEMs and shall wait for their decision in the matter.

(2) The Bidder(s)/ Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

Section 3 - Disqualification from tender process and exclusion from future contracts

109332/2023/UAID DGMHQ

If the Bidder(s)/Contractor(s), before award or during execution has committed a transgression through a violation of Section 2, above or in any other form such as to put their reliability or credibility in question, the Principal is entitled to disqualify the Bidder(s)/Contractor(s) from the tender process or take action as per the procedure mentioned in the "Guidelines on Banning of business dealings". Copy of the "Guidelines on Banning of business dealings" is placed at (page nos. 8-17).

Section 4 - Compensation for Damages

(1) If the Principal has disqualified the Bidder(s) from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover the damages equivalent to Earnest Money Deposit/ Bid Security.

(2) If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages of the Contract value or the amount equivalent to Performance Bank Guarantee.

Section 5 - Previous transgression

(1) The Bidder declares that no previous transgressions occurred in the last three years with any other Company in any country conforming to the anti-corruption approach or with any Public Sector Enterprise in India that could justify his exclusion from the tender process.

(2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or action can be taken as per the procedure mentioned in "Guidelines on Banning of business dealings".

Section 6 - Equal treatment of all Bidders / Contractors / Subcontractors

(1) In case of Sub-contracting, the Principal Contractor shall take the responsibility of the adoption of Integrity Pact by the Sub-contractor.

(2) The Principal will enter into agreements with identical conditions as this one with all Bidders and Contractors.

(3) The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section 7 - Criminal charges against violating Bidder(s) / Contractor(s) / Subcontractor(s)

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor which constitutes corruption, or if the Principal has substantive

suspicion in this regard, the Principal will inform the same to the Chief Vigilance Officer.

Section 8 - Independent External Monitor

(1) The Principal appoints following competent and credible Independent External Monitor for this Pact after approval by Central Vigilance Commission. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.

1. Sh. Ajay Kumar Lal, IRAS (Retd.)

DDA, HIG, Block 3A/101 A, Motia Khan (Near Jhandewalan Temple) D. B. Gupta Road, New Delhi - 110015

Email: ajay_k_lal@yahoo.com, Contact No. 9560712003

2. Sh. Pavan Kumar Jain, IDSE (Retd.)

A-402, Shree Ganesh Apartments, Plot No. 12B, Sector-7,

Dwarka, New Delhi - 110075

Email: mespkj@gmail.com, Contact No. 9313498388

(2) The Monitor is not subject to instructions by the representatives of the parties and performs his/her functions neutrally and independently. The Monitor would have access to all Contract documents, whenever required. It will be obligatory for him / her to treat the information and documents of the Bidders / Contractors as confidential. He/ she reports to the Director General of Meteorology, India Meteorological Department, New Delhi.

(3) The Bidder(s)/ Contractor(s) accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his/her request and demonstration of a valid interest, unrestricted and unconditional access to their project documentation. The same is applicable to Sub-contractors.

(4) The Monitor is under contractual obligation to treat the information and documents of the Bidder(s)/ Contractor(s)/ Sub-contractor(s) with confidentiality. The Monitor has also signed declarations on 'Non-Disclosure of Confidential Information and of 'Absence of Conflict of Interest. In case of any conflict of interest arising at a later date, the IEM shall inform to the Director General of Meteorology, India Meteorological Department, New Delhi and recuse himself / herself from that case.

(5) The Principal will provide to the Monitor sufficient

109332/2023/UAID DGMHQ

information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.

(6) As soon as the Monitor notices, or believes to notice, a violation of this agreement, he/she will so inform the Management of the Principal and request the Management to discontinue or take corrective action, or to take other relevant action. The monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.

(7) The Monitor will submit a written report to the Director General of Meteorology, India Meteorological Department, New Delhi within 8 to 10 weeks from the date of reference or intimation to him by the Principal and, should the occasion arise, submit proposals for correcting problematic situations.

(8) If the Monitor has reported to the the Director General of Meteorology, India Meteorological Department, New Delhi , a substantiated suspicion of an offence under relevant IPC/ PC Act, and the the Director General of Meteorology, India Meteorological Department, New Delhi has not, within the reasonable time taken visible action to proceed against such offence or reported it to the Chief Vigilance Officer, the Monitor may also transmit this information directly to the Central Vigilance Commissioner.

(9) The word '**Monitor**' would include both singular and plural.

Section 9 - Pact Duration

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the contract, and for all other Bidders 6 months after the contract has been awarded. Any violation of the same would entail disqualification of the bidders and exclusion from future business dealings.

If any claim is made / lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged / determined by the Director General of Meteorology, India Meteorological Department, New Delhi .

Section 10 - Other provisions

(1) This agreement is subject to Indian Law. Place of performance and jurisdiction is the Registered Office of the Principal, i.e. New Delhi.

(2) Changes and supplements as well as termination notices need to




109332/2023/UAID DGMHQ

be made in writing. Side agreements have not been made.

(3) If the Contractor is a partnership or a consortium, this agreement must be signed by all partners or consortium members.

(4) Should one or several provisions of this agreement turn out to be invalid, the remainder of this agreement remains valid. In this case, the parties will strive to come to an agreement to their original intentions.

(5) Issues like Warranty / Guarantee etc. shall be outside the purview of IEMs.

(6) In the event of any contradiction between the Integrity Pact and its Annexure, the Clause in the Integrity Pact will prevail.

(For & On behalf of the Principal)

**(For & On behalf of Bidder/
Contractor)**

(Office Seal)

(Office Seal)

Place -----

Date ----

Witness 1:

(Name & Address)

Witness 2:

(Name & Address)




**PROFORMA FOR CERTIFICATE FROM THE USER INDICATING SUCCESSFUL
OPERATION OF RADAR**

TO WHOMSOEVER IT MAY CONCERN

This is to certify that the Doppler Weather Radar with associated
subsystems and peripherals supplied by
M/s _____ to
_____ on date _____ Vide M/s _____
Contract Agreement no. _____ dated _____ (copy enclosed)
installed and commissioned on _____.

The Doppler Weather Radar system is working satisfactorily for
_____ months/ years.

The said radar is under continuous operation since _____
and are providing satisfactory results.

Signature of authorized signatory

Name of authorized signatory

Complete office address

With office seal and date

Insurer

Apita

Annexure-XI**Non-Blacklisting declaration****(Sample Format only)**

To: ,

Date:

(Consignee Name and address)

Subject: Non-Blacklisting declaration in connection with RFP No:dated for supply of ten (10) no. of SSPA based X-Band Dual Pol DWRs to India Met Department.

Dear Sir,

This is to notify that our Contractor/Company/Organization intends to submit a proposal in response to invitation for RFP No: for supply of ten (10) no of SSPA based X-Band Dual Pol DWRs to India Met Department. In accordance with the above we declare that:

- a) We are not involved in any major litigation that may have an impact of affecting or compromising the delivery of services as required under this assignment.
- b) We are not blacklisted by any Central/ State Government/ agency of Central/ State Government of India or any other country in the world/ Public Sector Undertaking/ any Regulatory Authorities in India or any other country in the world for any kind of fraudulent activities.

Sincerely,


[BIDDERS NAME]

Name Title Signature





Compliance statement

	Schedule of requirements, specifications & allied technical details.	C or NC with Chapter, Clause, and Page No. of the Bid Document
Special Conditions of Contract (SCC)		
	Supplier shall submit their bids for ten (10) numbers of X-Band Dual Polarization Doppler Weather Radars with Solid State Power Amplifier based transmitters.	
1. GENERAL REQUIREMENT:		
The specifications described herein refer to X-Band (9300-9500 MHz) Dual Polarized SSPA based Doppler Weather Radar including all peripherals, hereafter referred to as "The System". The System shall be capable of detecting and estimating meteorological parameters of severe weather phenomena that cause widespread damage to life and property.		
	All the DWR systems to have following latest state of the art facilities for smooth operation of complete radar system and its accessories:	
i.	Diesel generator of minimum 15 KVA or suitable capacity required for continuous operation of entire DWR system including cooling system, along with minimum 100 L capacity fuel tank. Diesel generator shall have automated switching on and off feature in the event of normal electricity failure and resumption.	
ii.	Two online UPSs, in redundant mode and each with minimum capacity of 10KVA each or suitable capacity required for continuous operation of entire DWR system, along with separate battery banks. Each UPS should have at least 30 minutes power back-up and should be capable of taking the full load of radar.	
iii.	NTP clock based on GPS for system clock time synchronisation of the radar and the connected computers in the radar network.	
iv.	Communication hardware and accessories for data transfer to central location.	

v.	The system will have dual polarization capability by simultaneous transmission and receive in both linear Horizontal and Vertical polarizations.	
vi.	The system shall have user selectable Single polarization and Dual polarization mode of operation.	
vii.	Latest state of art computer system shall be used for the generation of data and its processing.	
viii.	The entire operation of the System shall be fully computer controlled and remotely manageable.	
ix.	The tentative locations for installation of the systems are mentioned in Annexure-VIII	
x.	Installation of radar system will be on steel tower structure fabricated using hot dipped galvanized steel, at site. The standard of the steel and fasteners shall be certified for use in saline environment specified in Indian standard specification manual and specified explicitly. The specification shall meet minimum IS2062:2011 E250 Grade-C Steel for Channels and plates and IS1161:2014 & IS10748:2004 YST 310 grade steel for hollow pipes, IS1367 Grade 8.8 for fasteners from reputed manufacturers and their details also shall be submitted.	
xi.	The tower structure shall be with height of 20m.	
xii.	For evaluation of tender, cost of the tower will be considered.	
xiii.	Appropriate cemented reinforced concrete base, levelling arrangement.	
xiv.	The quoted software should be in use in any operational weather services in the world to fulfil the functional requirements along with capabilities which have been specified elsewhere in detail.	
xv.	At the time of supply of the stores, the latest state of art computer system and latest version of software shall be provided for the generation of data and it's processing, with OEM Licensed Version of Linux / Windows Operating System.	
xvi.	All equipment shall be of industry standard so as to enable easy up-gradation and maintenance.	
xvii.	Manufacturer shall submit the full details of the hardware, including model numbers and the software proposed to be employed for meeting the requirements given herein.	

xviii.	Central server at Delhi for processing the radar data from all ten radars to be provided.	
xix.	Facility for radar data analysis and products generation at each of the sites inclusive of automatic dissemination of warnings and alerts are to be provided by the bidder.	
xx.	Display of data such as reflectivity, rainfall rate, horizontal winds at designated height, warnings etc., to be overlaid on GIS map.	
xxi.	Web access to GIS based radar data display to be provided using web browsers such as Microsoft Internet Explorer, Firefox, Chrome etc.	
xxii.	GIS based display should be accessible over the network through VPN or Internet.	
xxiii.	The contractor has to clearly specify the way of achieving the sensitivity & detection capability (with ref. to OVERALL SYSTEM REQUIREMENTS) with supportive documents of claim and appropriate calculations for SSPA transmitters. The calculations for achieving the required operational characteristics such as scanning capabilities, maximum range, maximum velocity, sensitivity and clutter suppression have to be provided. Confirmation with supporting images, test printouts etc., are to be provided.	
xxiv.	Lightning protection is to be provided for ensuring safety of the system and all tower mounted elements by the way of grounding cable through ground bar or other best suited mechanism.	
xxv.	Surge Protection Device is to be provided at the site wherever required.	
xxvi.	The supplied DG Set, UPS etc., should have AMC service support facility in India.	
xxvii.	IMD will take possession after appropriate test and evaluation meeting the specifications and accept the radar system after commissioning.	
xxviii.	It is the responsibility of the bidder to bear all the expenditure to operate the radar including manpower requirements, security and all radar peripherals till successful acceptance and	

	commissioning.	
xxix.	Transportation from the factory to the site will be the responsibility of the vendor.	
xxx.	The entire work of installation and commissioning of the radar has to be carried out by the contractor.	
xxxi.	The network link between the systems and central server will be provided by IMD; Successful contractor shall suggest suitable bandwidth for real time system control, monitoring and near real-time receipt of data at central locations for generating composite images and products of all the radars.	
	The price bids of technically qualified Bidders shall be opened for evaluation on a date notified after evaluation of the techno commercial bid.	

2. OVERALL SYSTEM REQUIREMENTS

Technical Specification

(A) .General

2.1	Range of observation	100 Km (Reflectivity) 100 Km (Velocity, Spectrum Width)	
2.2	Range resolution	150 m or better	
2.3	Max. Unambiguous Range	100km or better consistent with PRF & 2 nd trip echo.	
2.4	Unambiguous Velocity	30 m/s or better with ambiguity resolver	
2.5	Detection capability	13 dBZ or better at 100 km range.	
2.6	VSWR	1.25:1	
2.7	Scan Time	10 elevation volume scan with all base moments acquired in 8minutes or better.	

(B) . Transmitter

2.8	Transmitter Type	Tunable frequency Solid State Power Amplifier based system	
2.9	Frequency Range	9.3 GHz - 9.5 GHz	
2.10	Transmitted power	Required to meet 13 dBz at 100 Km as per Point No.2.5.	
2.11	Pulse repetition frequency	To meet Range and Velocity requirement as per Points No. 2.3 & 2.4	
2.12	Pulse width	SSPA based system to meet the average	

		power at variable pulse of transmissions at different carrier frequencies as per 2.5	
2.13	Transmitter Polarization	STAR	
2.14	Modulator	Solid state	
2.15	VSWR	1.25:1	
(C) . Antenna, Radome Tower			
2.16	Antenna	Parabolic Dish Antenna	
2.17	Side lobe	26dB down from the main lobe to 12° and beyond 12° better than 30dB.	
2.18	Beam width	1° or better	
2.19	Azimuth steering	360° with $\pm 0.05^\circ$ accuracy and 0-6 rpm	
2.20	Vertical Steering	-2° to +92° or better with $\pm 0.05^\circ$ accuracy	
2.21	Polarization	Horizontal, Vertical and STAR mode	
2.22	Scanning rates	Up to 6 rpm	
2.23	Scan strategy	Provision for automatic changeover between different scan strategies shall be possible.	
2.24	Radome	<p>1). Type: Suitable Radome for antenna and its electronics Installed on galvanized steel Tower covering antenna dish and pedestal, with adequate space for maintenance personnel to enter and work.</p> <p>2). Transmission Loss: 0.35dB or better one way.</p>	
2.25	Wind load	Up to 150 km/hr and in gusting condition up to 250 km/hr	
2.26	Lightning Protection	Lightening rod with dual ground wires.	
2.27	Surge Protection	Surge Protection Device is to be provided at the site wherever required.	
2.28	Obstruction lights	Twin Light System with solar powered & auto switch with long life lamps. Roof hatch for maintenance of obstruction lights and entry from bottom; suitable portable ladder for the purpose of maintenance.	
2.29	Tower height	20m (minimum & scalable) with quote for	

		additional height for every 5 meters.	
(D) . Receiver			
2.30	Type	Multichannel Digital receiver for Dual Polarization (H&V), STAR mode operation	
2.31	Noise figure	3 dB or better	
2.32	Linear dynamic range	95dB or better	
2.33	Minimum Discernable Signal	-107dBm or better	
(E) . Radar Signal Processor			
2.34	Doppler processing	Pulse Pair and FFT selectable	
2.35	Clutter suppression	Clutter Elimination for >45 dB. The system shall have provision for identifying and filtering non-meteorological echoes such as anomalous propagation echoes, Sea clutters, bird/insects, chaffs, etc. based on polarimetric measurements.	
2.36	Range Side lobe	Better than 35dB	
2.37	Parameters to be measured and displayed	<p>(g) Reflectivity (Z_H)</p> <ul style="list-style-type: none"> Dynamic range : -30 to 65 dBZ Resolution : 0.1 dB <p>Accuracy : ≤ 1 dB @ SNR > 10 dB ; $r < 100$ Km; $\Delta r < 1$ Km</p> <p>(h) Radial velocity (V_H)</p> <ul style="list-style-type: none"> Max : ± 30 m/s Resolution : 0.1 m/s <p>Accuracy : ≤ 1 m/s @ SNR > 10 dB; $\sigma_v = 4$ m/s ; $r = 100$ Km; $\Delta r < 250$ m</p> <p>(i) Spectrum Width (σ_H)</p> <ul style="list-style-type: none"> Max : ± 15 m/s Resolution: 0.1 m/s <p>Accuracy: ≤ 2 m/s @ SNR > 10 dB; $\sigma_v = 4$ m/s ; $r = 100$ Km; $\Delta r < 250$ m</p> <p>(j) Differential reflectivity (Z_{DR})</p> <ul style="list-style-type: none"> Dynamic range : -5 to 8 dBZ Resolution : 0.1 Db <p>Accuracy : ≤ 0.2 dB @ SNR > 10 dB ; $r < 100$ Km; $\Delta r < 1$ Km</p> <p>(k) Differential phase (Φ_{DP})</p> <ul style="list-style-type: none"> Dynamic range: -180 to 180 deg Resolution : 0.1 deg 	

		<p>Accuracy: $\leq 2^{\circ}$@SNR>10dB; r<100Km; Δr<1Km</p> <p>(1) Correlation Coefficient at zero lag (ρ_{HV})</p> <ul style="list-style-type: none"> • Dynamic range : 0 to 1 • Resolution : 0.005 <p>Accuracy: ≤ 0.05@SNR>10dB; r<100Km; Δr<1Km</p>	
2.38	Calibration	<p>I. Provision shall be made for programmable and auto run mode of internal calibration to ensure reliability of polarimetric parameters.</p> <p>II. Calibration through external equipment and validation of receiver linearity and dynamic range using standard coherent source and standard measuring equipment. There should be a provision for automatic update of radar parameters.</p> <p>a) Receiver single point calibration in long and short pulse mode</p> <p>b) Transmitter peak power</p> <p>c) System noise figure</p>	
2.39	Sun calibration	<p>Sun calibration in both software driven and manual mode operation for pointing accuracy measurements. The system shall be made to point towards sun for establishing the gain and pointing accuracy of the antenna; stability and reliability of receiver chain using solar flux (sun) values known from other sources. Procedure shall be provided and to be demonstrated during SAT. Script based execution of such measurements and saving of results are expected as a part of such provision.</p>	
2.40	Base Parameters to be measured	<p>i. Reflectivity (Z),</p> <p>j. Radial velocity (V),</p> <p>k. Spectrum Width (σ),</p> <p>l. Differential reflectivity (Z_{DR}),</p> <p>m. Specific differential phase (K_{DP}),</p> <p>n. Differential phase (Φ_{DP}),</p> <p>o. Cross correlation Coefficient (ρ_{HV})</p> <p>p. Linear Depolarization Ratio (L_{DR})</p>	

2.41	Peripherals	<p>a) Two Workstations (Main & Standby) of latest computer configuration at the time of delivery in terms of mother board chipset, Processor, processor speed, 128 GB RAM size and speed, Ethernet speed/USB speed, HDMI/VGA/DVI card memory and 4 TB hard disk storage with 32" (inches) full HD resolution, color LED monitor. Both Workstations shall be used for operation, control of the radar; product generation and display of the data and shall have Raid Storage of the data to avoid any loss of data.</p> <p>b) Two workstations of latest configuration at the time of delivery in terms of mother board chipset, Processor, processor speed, 128 GB RAM size and speed, Ethernet speed/USB speed, HDMI/VGA/DVI card memory and hard disk storage processor with 32" (inches) full HD resolution, color LED monitor. Both Workstations shall be used for networking/communication purpose.</p> <p>c) One portable computer (laptop) of latest version/ configuration capable of handling functions of a) & b) above.</p> <p>d) One 55" (inches) UHD 4k LED display.</p> <p>e) Two desktop computer of latest configuration processor at the time of delivery for analysis of radar data products.</p> <p>f) NAS storage with RAID with archival for 05 years of base products as in 2.39.</p> <p>g) Provision for recording and playback of offline I&Q data.</p> <p>h) Provision for remote radar control, monitoring and operations.</p> <p>i) All software licenses shall be multiuser and open, within radar group without any restriction/hardware lock / soft-lock.</p>	
------	-------------	--	--




(F). Power Requirements			
2.42	Power	Capable of operating at 220±10% V, 50 ±2%Hz, in Single phase or 400 ±10% V, 50 ±2% Hz with three phase AC supply.	
2.43	Online UPS	Two UPSs, in redundant mode and each capacity of at least 10 KVA, on line type, to run the whole radar system for at least 60 minutes. Catering to required voltage stabilization with a power factor suitable for the radar system.	
2.44	Diesel Generator	At least 15 KVA suitable Diesel Generator Set with AMF panel for automatic turn ON when mains fails and capable to take up the load (of all the essential components and accessories of the Radar system required for operation). The DG set should be silent with a separate canopy for operations in all weather conditions.	
2.45	Pre-fabricated cabin.	A well-furnished cabin of at least area 900 sq. feet is required to meet all operational requirements which includes operational room, Radar Officer room, UPS, stores, Kitchenette, microwave oven, Rest room/Washroom, along with ACs, water cooler, RO, furniture and separate outside canopy housing for D.G. set etc. to make it convenient for operational staff to work round the clock. The number of floors and dimensions of cabin may vary in size from site to site.	
1. ARCHIVAL OF RADAR DATA			
a)	The base data which includes Reflectivity, Velocity, Spectrum Width and Dual Pol. Parameters (output of radar processor) shall be stored automatically on hard disk. Network Attached Storage on RAID 5 with adequate capacity based on SATA disk, to be provided for archival of Base Parameters data.		
b)	A-4 size high resolution Ink tank Color Printer (600dpi or higher) for taking hard copies of images and products shall be provided.		

c)	External Blue ray DVD writer with 12 disks of dual layer Blue ray DVD R/W and 50 disks of Blue Ray DVD/R at each site to be provided.	
d)	Provision to record, store and offline playback for analysis of I& Q data.	
2. DATA FORMATS		
4.1 Digital Data		
a)	System should be capable of archiving of raw data (I & Q) and generating Polarimetric Doppler Weather Radar Base data and products in BUFR, NETCDF, GRIB2, HDF5, KML, KMZ formats and NEXRAD-Level II formats.	
b)	Data should be converted from RAW, RAINFALL mm/hr, RAINFALL ACCUMULATED in mm, Horizontal winds at user selected levels in height, to Cartesian coordinates. Such data should also be available in HDF5, NetCDF.	
c)	Stand-alone BUFR, NETCDF, HDF5, GRIB2, NexRAD-Level II encoding and decoding software on Licensed Linux/MS-WINDOWS platform should be provided. The software should be able to convert the radar data to formats as per user requirements and IMD specifications mentioned at 4.1(a) above.	
d)	NetCDF format data shall be provided in NCAR CFRadial, and IMD-NetCDF format. Details of IMD-NetCDF format and BUFR-OPERA format file as required by IMD shall be provided to contractor for developing software applications.	
e)	Existing central server system at IMD HQ, New Delhi is based on Vaisala (SIGMET) IRIS software for centrally generating various products including mosaic and various data formats from RAW data& data products. The contractor should provide necessary provision to ingest their radar data in a compatible format for use with already available central server at New Delhi.	
f)	Data format if proprietary should be disclosed with decoding software codes.	
g)	The contractor shall provide data format converter to convert Raw Data as well as products to ASCII.	

4.2 Image data

The system should be capable of automatic generation of images in (JPEG, GIF, TIFF, PNG) format files for publishing on web site. Images should have high resolution for full HD displays and also for web pages. Following file naming conventions are to be implemented for automatic generation of images after completion of each volume scan.

h)	caz_stn.gif	Max Z	100km range
i)	ppz_stn.gif	PPI Z	100km
j)	ppi_stn.gif	PPI Z	100km
k)	ppv_stn.gif	PPI V	100km
l)	vp2_stn.gif	VVP	40km Range/ up to 10 km height
m)	sri_stn.gif	SRI	100 km
n)	pac_stn.gif	PAC	100km accumulated rain for 24hrs

3. SOFTWARE FEATURES

The radar system should be having required menu driven software with GUI controls for:

- a) Operating the radar.
- b) Setup of operational scan parameters.
- c) Configuration of weather products.
- d) Generation of alerts and warning,
- e) Setup of communication channels.
- f) Setup of display overlaid on map of India with political boundaries of international borders, states and district boundaries.
- g) Automatic calibration for antenna, receiver, dynamic range, etc.
- h) Monitoring the health of the radar using BITE.
- i) The process of setup/change of various scan parameters should be easily accessible to operators using GUI.
- j) Product generation.
- k) Product display.
- l) Generation of audio-visual warnings based on user defined thresholds for severe weather detection.

109332/2023/UAID DGMHQ

<p>m) Automatic transmission of warnings (visual and text) to users via communication channels.</p> <p>n) Facility to reprocess and display products from past data.</p> <p>o) Simultaneous display of data having more than one parameter.</p> <p>p) Requisite software protection for denying unauthorized access to be provided.</p> <p>q) The system shall perform optimized correction of reflectivity data for attenuation effects from heavy rain based on algorithm using polarimetric parameters such as ZDR, Φ_{DP}, K_{DP} and ρ_{HV}.</p>		
<p><i>The System shall be capable of generating the following products from the base data output from the radar signal processor. Algorithms and references for all the products listed below and supplied should be provided.</i></p>		
<p align="center">5.1 Base Products</p>		
a)	Un-filtered I & Q data archival and playback facility to generate base products.	
b)	The system shall generate base data comprising for Z, V, σ and Polarimetric products after applying different corrections to raw data (like attenuation effect due to precipitation, earth curvature, range normalization, beam blockage, interference due to external sources, non-meteorological echoes, second-trip recovery, ground reflection, bright band correction, etc.)	
c)	Products are to be generated based on user defined parameters already selected and stored in workstation and NAS against the various scan schedules.	
d)	Provision also should be available to generate all products in offline mode using the archived raw data.	
<p align="center">5.2 Primary Products</p>		
<p>5.2.1 Maximum Display (Z, V, σ)</p> <p>The System shall compute and display maximum values of base data products (Z, V and σ) in horizontal (East West and North South) and vertical columns between users defined heights and also display the partial images in a single frame with side panel heights to a scale of 2km</p>		

covering 0 -18 km.	
5.2.2 PPI (Plan Position Indicator) (Z, V, σ) The system should be capable of generating the PPI product for all types of raw data at user selectable elevation angles from lowest to highest elevation in the scheduled scanning procedure.	
5.2.3 CAPPI (Constant Altitude Plan Position Indicator) The System shall interpolate from the volume scan data set for a geo-horizontal plane at user vertical defined height and display the same pertaining to user selectable data form Z , V and σ from 1 km to 18 km height.	
5.2.4 PCAPPI (PSEUDO CAPPI) The system shall incorporate data form the highest elevation scan near the radar and from lowest elevation scan for areas far away from the radar for which radar beams are not intersected by user defined plane for CAPPI and display same pertaining to data selected by user (Z , V and σ) from 1 km to 18 km height.	
5.2.5 VCUT (Vertical Cut) The system shall interpolate all the base products (Z , V and σ) in any vertical plane passing through user defined two points and display the same for the user selectable parameters.	
5.2.6 EBASE (ECHO BASE) The system shall identify from the volume scan data the minimum height up to which the user defined threshold value for each base data exists and display them for user selectable data.	
5.2.7 ETOP (ECHO TOP) The system shall identify from the volume scan data the maximum height up to which the user defined threshold value for each base data exists and display them for user selectable data.	
5.2.8 HAIL WARNING Based on reliable hail warning algorithm, the system shall generate a hail warning symbol at the appropriate place in the PPI display in one or more of the operator	

chosen fields.	
<p>5.2.9 HYDROMETEOR CLASSIFICATION</p> <p>The system shall be capable of generating a product for classification of hydrometeors based on Polarimetric parameters (Z_{DR}, Φ_{DP}, K_{DP} and ρ_{HV}). Provision for changing parameters in a scientific way for customization of the hydrometeor classification is a required. Hail detection based on this classification shall be one of the products in this class.</p>	
5.3 Derived Meteorological Products:	
<p>5.3.1 Velocity Products</p> <p>The system shall generate and display following velocity products:</p> <ul style="list-style-type: none"> a) Radial velocity versus the azimuth for a fixed elevation and a fixed slant range (VAD). b) Radial velocity at a fixed user defined range on height and azimuth angles (Radial velocity display for fixed range, azimuth angles for various height and azimuth). c) Horizontal wind velocity and wind direction using barbs in a vertical column above the radar site for different heights including divergence & convergence product. (VVP_1) d) The vertical Profile of the horizontal winds derived from the Radial Winds within 40 km range of radar and 10 km height using standard algorithm in the form of Wind Barbs showing wind speed and direction in the time series manner for a user selectable time duration (VVP_2) e) Horizontal wind vectors (UWT) using barbs at user defined layer height with or without underlay of reflectivity or velocity in PPI / CAPPI format. 	
<p>5.3.2 Hydrological Products:</p> <p>The system shall generate and display following hydrological products:</p> <p>A) Rainfall intensity using polarimetric moments as well as Z-R in a user selectable surface layer and constants with constant height above ground. Provision of specifying freezing layer height dynamically.</p> <p>B) Instantaneous estimation of water content (VIL) residing</p>	

109332/2023/UAID DGMHQ

<p>in a user defined atmosphere layer in the atmosphere to be displayed in PPI type of display.</p> <p>C) Precipitation accumulation (PAC) using polarimetric and Z-R in a user definable time period.</p> <p>D) Rainfall amount in user defined catchment basins for user defined time span.</p> <p>E) Provision for putting river basin map overlay as per user requirement.</p> <p>F) Rainfall intensity, rainfall rate and accumulation products shall have an option to be adjusted in real time by Rain Gauge, disdrometer data. Rain gauge and disdrometer data shall be displayed along with the radar data.</p> <p>G) Adjustment of rainfall rate by appropriate rain gauge or disdrometer data shall be possible.</p> <p>H) The system shall convert data of reflectivity and polarimetric measurement to horizontal maps of rainfall intensity.</p> <p>I) The system shall be capable of generating precise rain rate information using combination of polarimetric parameters as well as Z(h)</p> <p>J) The system shall use algorithm based on polarimetric parameters for correcting rain rate estimation errors arising out of hail, non-meteorological echoes and attenuation.</p>	
<p>5.3.3 <u>Aviation Products</u></p> <p>a) The system shall evaluate derivatives of wind velocity in radial, azimuth, elevation, North South, East West directions and derive horizontal, vertical and three dimensional shears</p> <p>b) The system shall also be able to generate warning product on microburst, and wind shears beyond adaptable threshold levels.</p> <p>c) The system shall evaluate maximum turbulence within user defined atmospheric layer and display in top view.</p>	
<p>5.3.4 <u>Warning and Forecasting Products:-</u></p> <p>A. System shall generate and display warning symbols for thunderstorm, hail storm, dust storm, meso-cyclone, convergence, divergence and gust fronts.</p> <p>B. System shall be capable of evaluating speed and</p>	




109332/2023/UAID DGMHQ

direction of movement of weather systems.		
c. System shall also be capable of warning if any of the conditions defined by the user are reached or fulfilled on reflectivity, velocity, VIL, rainfall intensity, rainfall accumulation and wind shear.		
D. System shall be able to detect tornado and gust fronts associated with storms and issue visual and text warning message.		
5.4 Alphanumeric Products		
The system shall also be able to provide all the product data (i.e. base, primary and derived) in ASCII tabular form.		
6. Built in Test Equipment (BITE) .		
A modern system making use of latest technology for continuous monitoring of the operational status of hardware and software functions and utilities of the radar system shall be supplied.		
a)	BITE processor shall measure and process a number of real time analog and digital parameters in the radar system and generate and display the error message whenever their value falls outside the specified permissible range.	
b)	BITE processor shall continuously monitor input and output signals of every module/PCB for any deviation from the standard values.	
c)	Audio alarm indication for occurrences of faults is to be provided.	
d)	Centralized monitoring of status of radars networked.	
7. Provision for Networking & Communication system for data transfer to central location		
a)	Provision shall be made with suitable communication hardware & software for real time transfer of digital radar data and images generated in real time through networking to control and monitoring centre and central server at IMD HQ, New Delhi.	
b)	All networking components required at radar site as well as command and control centre shall be provided by contractor.	
c)	Necessary interface shall be provided for sending	

109332/2023/UAID DGMHQ

	radar data through GSM, VPN and internet.	
d)	The control centre should be able to monitor and control the functions of the radar at all ten sites. Data from respective radars under each site will be utilized for real time display facility for monitoring the health parameters as well as the weather data acquired by radars in operational mode.	
e)	The communication link will be provided by IMD. contractor shall specify the bandwidth requirement.	
f)	Deliverables for control and command centre are to be provided as per Annexure-VI.	
g)	The radar data is to be converted in a compatible format for use with already available central server of the existing Doppler weather radar network of IMD based on IRIS (SIGMET) software of M/S Vaisala.	
h)	<p>Boundary of states will be provided by IMD as shape files. Data of all radars to be overlayed on GIS map with option to include underlay maps from Google, Open street map or ESRI, Arc GIS, etc. GIS server with Open street map to be provided.</p> <p>The Products which are to be overlayed are:</p> <ul style="list-style-type: none"> • Reflectivity • Rainfall • Warnings based on Rainfall, Velocity, Hydrometeor Classification. 	
8. INSTALLATION		
a)	Contractor shall take into consideration that the system is required to be installed on site on a Galvanized Steel Tower with nominal height of 20 m upon which radar antenna and radome shall be installed. Towers should be able to take the dynamic load of the radar system and its accessories while in operation, (with due consideration for the gusty wind load) and shall be erected by contractor.	
b)	Walk/inspection space of about a meter width all around the radome base with a safety railing of 1.5m height is recommended for servicing of Radome. The railings should not degrade the signals of the radar during regular operations.	
c)	The entire responsibility of civil construction/site	





109332/2023/UAID DGMHQ

	preparedness for installation of the radar and its peripherals shall be the responsibility of the contractor.	
d)	Pre requisite for both civil & electrical requirements for installation of radar be clearly mentioned separately, inclusive of suitable diagrams of antenna & radome installations, along with the technical bid.	
e)	The required number of electrical earthing based on latest technology i.e. Chemical Gel earthing is required for various peripherals inclusive of radar, has to be provided by contractor.	
f)	Suitable Lightning Arresters for protecting the radar with reliable lightning protection system with deep chemical gel and copper plate based earth pit shall be carried out by the contractor.	
g)	Surge Protection Device is to be provided at the site wherever required.	
h)	Aviation warning indicator lamps shall be supplied and installed by the contractor on the top of the antenna/radome at appropriate height.	
i)	All other requirements such as power and communication facility etc. will be arranged by IMD for enabling tower construction and installation/commissioning of radars of each respective site.	
j)	IMD may not facilitate the accommodation and transportation arrangements for the personnel of the installation team of the contractor.	
	9. LOCATION	
	List of tentative sites for installation of Radars is attached vide at Annexure-VIII.	
	10. TESTING AND ACCEPTANCE	
a)	Contractor shall submit detailed test plans for Factory Acceptance Testing (FAT) prior to shipment and Site Acceptance Test (SAT) for system acceptance. The test plan shall require concurrence by the IMD.	
b)	During FAT, cost of travel, per diem charges and charges for boarding/lodging for IMD personnel (5 persons) will be borne by IMD, Government of India.	

c)	The objective of the tests shall be the verification of performance of the system as per the specifications and functional requirements as per TENDER DOCUMENT.	
d)	As per the mutually agreed test procedures, FAT shall be carried out at the OEM's premises prior to shipment. The equipment shall be shipped only after satisfactory conclusion of the pre-shipment acceptance testing (FAT).	
e)	As per the mutually agreed test procedures, acceptance test should be carried out at each radar site after installation. Contractor shall arrange for necessary test equipment.	
f)	Any defects / deviations noticed during the site acceptance tests shall be rectified within a maximum period of one month from the completion of the tests. After such rectification, the tests shall be repeated to verify the rectification.	
g)	Within 30 days of installation of each system, contractor should secure acceptance of the radar and its peripherals as a whole system.	
11. SYSTEM COMMISSIONING		
After the satisfactory completion of the site acceptance tests, contractor shall demonstrate the reliabilities and capability of the system to be operated continuously and satisfactorily for a period of 15 days endurance test of the complete radar system, after which it will be said to be "Commissioned".		
12. WARRANTY:		
a)	Warranty shall remain valid for three years after the system has been commissioned and accepted by IMD as per terms of the contract. The warranty shall also include all third party bought out items / subsystems including Tower, Computers, Generator Set and UPS, etc. OEM certification of warranty for the third party items is to be provided.	
b)	This warranty clause is applicable at all individual radar sites.	




c)	Upon receipt of notice about faults, contractor shall repair or replace the defective goods or parts thereof, free of cost, at the site.	
d)	Contractor shall take over the replaced parts/ goods after providing their replacements and no claim, whatsoever shall lie on IMD for such replaced parts/ goods thereafter.	
e)	The contractor shall supply the software updates, if any, during the warranty and CAMC period, free of cost.	
f)	Supplier shall ensure 95% of 365 days annual-uptime.	
g)	If contractor, could not meet the 95% annual-uptime (calculated Quarterly at the time of payments) and there is a failure of the system for more than the criteria stipulated then a penalty amount of 0.5% of the total equipment cost per seven days for that radar, for days it is down, will be deducted from the performance guarantee amount, subject to an upper ceiling of 10% of the total equipment cost during warranty period and 10% of the total AMC cost during the AMC period. Furthermore IMD may proceed to take such remedial action(s) as deemed fit by IMD, at the risk and expense of contractor and without prejudice to other contractual rights and remedies, which IMD may have against contractor.	
h)	Maximum two weeks shutdown for Annual maintenance shall not come under the clause. Delay due to external factors and natural calamity beyond human control will be exempted.	
i)	During warranty period, contractor is required to visit consignee's site at least once in three months commencing from the date of acceptance at site for preventive maintenance, calibration and various types of checks of the goods/ equipment and a detailed report consisting of all test procedure values etc. must be submitted at Upper Air Instrument Division (UAID), India Meteorological Department, New Delhi along with satisfactory certification by the UAID (IMD).	
13. TRAINING		

a)	Contractor shall provide factory training in operation, maintenance, calibration and fault identification of the radar system along with modification & up-gradation in application software to 4 persons from IMD at the factory premises for a period of 3 weeks.	
b)	During factory training, cost of travel, per diem charges and charges for boarding/lodging for IMD personnel will be borne by IMD, Government of India.	
c)	The training shall also include lectures on the system design, computer hardware/software, operation and such other aspects which are considered essential for optimum utilization of the radar system.	
d)	Onsite training in operations and first level fault identification to be provided for a period of five working days.	
14. DOCUMENTATION:		
a)	Contractor shall furnish two copies of the following documentation in well-bound sets/volumes of good print quality for each radar site and two copies of the same to Radar Unit, UAID, New Delhi.	
b)	Soft copy of all the manuals should also be provided along with hard copy.	
c)	All standard manuals, technical data sheets and other pertinent information of functional, electrical and mechanical modules used in the System shall be included in the manuals.	
d)	Interface connectivity document has to be provided for hardware as well as software interfaces.	
e)	Detailed documentation of all the proprietary data formats, bit-by-bit information on the header and data patterns should be provided.	
f)	Free updates made to processing software and clarifications should also be supplied with relevant documentation during the period of warranty and CAMC thereof.	
g)	The system functional block diagram shall be laid out so that a user can readily understand and identify the major functions of the system.	
h)	The operating instructions shall include routine procedures, safety and emergency procedures as	




109332/2023/UAID DGMHQ

	applicable. These instructions shall include switch-on, standby, normal operating procedures and switch off procedures. The sequence of turn-on procedures shall be optimized for remote switching ON/OFF. The instructions shall provide assistance to an operator to use the System for optimum performance.	
i)	Sufficient illustrations shall be included to identify and locate all operating controls and indicating devices.	
j)	Layout and Schematic Assembly Drawings: Schematic Diagrams of all assemblies, modules shall be provided.	
k)	Parts List: Detailed parts list with part numbers shall be provided.	
l)	Algorithm of Products: The algorithms used in product generation shall be supplied.	
m)	It shall be the responsibility of contractor to provide detailed parts list of modules sourced. List of items imported and incorporated in the system should also be provided separately. Only such items may be used in the system whose technical details are made available by the manufacturer	
15. DELIVERY SCHEDULE		
a)	First radar shall be delivered (Delivery at Place) installed, accepted and commissioned within 08 months from the date of issue of Supply Order. Rest of the radar systems shall be delivered (Delivery at Place), installed and commissioned within 18 months from the date of issue of Supply Order in a phased manner. In this regard the contractor will submit the actual schedule along with time line for execution of installation and commissioning work for each radar.	
16. Penalty clause/Liquidated damages clause (LD) for delayed stores & Services:		
The LD will be imposed if delivery schedule is not met as per Chapter 2 in Clause No. 20 and Clause No. 15 of this section.		
17. COMPREHENSIVE ANNUAL MAINTENANCE CONTRACT (CAMC)		

a)	The Bidder shall quote for CAMC for seven years which will commence subsequent to successful completion of warranty period of three years.	
b)	The Bidder shall submit the year wise lump sum amount of CAMC charges for each radar/site.	
c)	The amount charged for CAMC shall not be quoted as percentage of the tender cost / cost of equipment.	
d)	The CAMC charges shall be included for price comparison. The terms & conditions for the CAMC are enclosed at Annexure-V.	

Insurer

Dipika

Format for Affidavit of Self Certification
regarding Local Content in a Doppler Weather Radar

Date: _____

I _____ S/o, D/o, W/o
 _____, Resident of
 _____ do hereby solemnly affirm
 and declare as under:

That I will agree to abide by the terms and conditions of the policy of Government of India issued vide Notification - Public Procurement (preference to make in India) Order 2017 dated 15th June , 2017 and subsequently 04th June 2020 and 16th September. 2020.

That the information furnished hereinafter is correct to be of my knowledge and belief and I undertake to produce relevant records before the procuring entity or any authority so nominated for the purpose of assessing the local content.

That the local content for all inputs which constitute the said equipment has been verified by me and I am responsible for the correctness of the claims made therein.

That in the event of domestic value addition of the product mentioned herein is found to be incorrect and not meeting the prescribed value addition norms, based on the assessment of an authority so nominated for the purpose of assessing the local content, action will be taken against me as per Order No. P-45021/2/2017/-E.E.-II dated 15.06.2017.

I agree to maintain the following information in the Company's record for a period of 03 years and shall make this available for

Handwritten signature

Digitally signed

109332/2023/UAID DGMHQ

verification to any statutory authority: (Kindly fill up the below mentioned particulars)

- i. Name and details of the Domestic Manufacturer (Registered Office, Manufacturing Unit location, nature of legal entity)
- ii. Date on which this certificate is issued
- iii. Doppler weather radar for which the certificate is produced
- iv. Procuring entity to whom the certificate is furnished
- v. Percentage of local content claimed
- vi. Name and contact details of the unit of the manufacturer
- vii. Sale Price of the Product
- viii. Ex-Factory Price of the product
- ix. Freight, insurance and handling
- x. Total bill of Material
- xi. List and total cost value of inputs used for manufacture of the Doppler weather radar
- xii. List and total cost of inputs which are imported, directly or indirectly

For and on behalf of

(Name of firm/entity)

Authorized signatory

(To be duly signed by the Board of Director)



BANK GUARANTEE MODEL FORMAT FOR ADVANCE PAYMENT

To,
The President of India

Through:-

Director General of Meteorology,
India Meteorological Department,
Lodi Road, New Delhi-110003

WHEREAS _____ (Name and address of contractor) (Hereinafter called "contractor") has undertaken, in pursuance of contract no _____ dated _____ to supply (description of goods and services) (herein after called "the contract").

AND WHEREAS it has been stipulated by you in the said contract that contractor shall furnish you with a bank guarantee by a Nationalized bank recognized by you for the sum specified therein as security for compliance with its obligations in accordance with the contract;

AND WHEREAS we have agreed to give contractor such a bank guarantee;

NOW THEREFORE we hereby contractor that we are guarantors and responsible to you, on behalf of contractor, up to a total of.

_____ (Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring contractor to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of your demanding the said debt from contractor before presenting us with the demand. We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and contractor shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid up to and including the _____ day of _____, 20____




(Signature with date of the authorized officer of the Bank)

Name and designation of the officer

Seal, name & address of the Bank and address of the Branch

Indurman

Dipita

ANNEXURE-XV**Format for Bid Securing Declaration**

(on Company Letter-head)

Bidder's Name _____

[Address and Contact Details]

Bidder's Reference No. _____

Date.....

To

The President of India, through

The Director General of Meteorology

India Meteorological Department

Mausam Bhawan, Lodi Road, New Delhi - 110003.

Ref: (Tender Document No.) Tend No./ xxxx; Tender Title:

Sir/ Madam

We, the undersigned, solemnly declare that:

We understand that according to the conditions of this Tender Document, the bid must be supported by a Bid Securing Declaration in lieu of Bid Security.

We unconditionally accept the conditions of this Bid Securing Declaration. We understand that we shall stand automatically suspended from being eligible for bidding in any tender in IMD for 2 years from the date of opening of this bid if we breach our obligation(s) under the tender conditions if we:

- 1) withdraw/ amend/ impair/ derogate, in any respect, from our bid, within the bid validity; or
- 2) being notified within the bid validity of the acceptance of our bid by IMD:
 - (a) refused to or failed to produce the original documents for scrutiny or the required Performance Security within the stipulated time under the conditions of the Tender Document.
 - (b) Fail or refuse to sign the contract.




109332/2023/UAID DGMHQ

We know that this bid-Securing Declaration shall expire if the contract is not awarded to us, upon:

- 1) receipt by us of your notification
 - (a) of cancellation of the entire tender process or rejection of all bids or
 - (b) of the name of the successful bidder or
- 2) forty-five days after the expiration of the bid validity or any extension to it.

(Signature with date)

.....

(Name and designation)

Duly authorized to sign bid for and on behalf of.....

[name & address of Bidder and seal of company]

Dated on day of [insert date of signing]

Place.....[insert place of signing]

DA:.....

Indurmar

Aspirita